

18/4/2018

00000609

**SAFETY DATA SHEET**

NZ Distributor:  
Wyatt Machine Tools (Rupes) NZ Ltd  
388 Church St, Penrose, AKL,1061  
P: (09)525-1000 F:(09)525-1009  
NZ Emergency: 0800 992 881  
0800WYATT1

e 1



Pro Form Products Ltd.  
604 McGeachie Drive  
Milton, Ontario, L9T 3Y5  
Canada  
905-878-4990

**PRODUCT: 18200 ALUM SOUND DEADENING SHEETS 12/PK**

**SECTION 01: Chemical product and company identification**

Manufactured for..... Pro Form Products Ltd.  
604 McGeachie Drive  
Milton, Ontario L9T3Y5  
Tel (905) 878-4990 Fax (905) 878-1189  
Product name..... 18200 ALUM SOUND DEADENING SHEETS 12/PK  
Recommended use and restrictions on use Automotive. This product should not be used for any other purpose other than the ones described in this section.  
Chemical family..... Article.  
NFPA rating..... Health: 0 Fire: 1 Reactivity: 0.  
HMIS..... H:0 F:0 R:0. H:0 F:1 R:0.  
24 hour emergency number..... IN CANADA CALL CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.

**SECTION 02: Hazards identification**

Signal Word..... Not a classified or a controlled product.  
Hazard Classification..... Not classified.  
Hazard Description..... Not classified.  
Prevention..... No special precautions necessary.  
Note ..... This product does not meet the OSHA Hazard Communication, Globally Harmonized System or Workplace Hazardous Materials Information System criteria as a controlled or classified product.

**SECTION 03: Composition/Information on Ingredients**

HAZARDOUS INGREDIENTS	CAS #	WT. %
PRODUCT IS AN ARTICLE AND NOT A CHEMICAL	Not applicable	

**SECTION 04: First aid measures**

Eye contact..... Flush for 15 minutes using plenty of water. If irritation persists seek medical attention.  
Skin contact..... Wash skin with soap and water. If irritation persists, seek medical attention.  
Inhalation..... No specific treatment is necessary since this material is not likely to be hazardous by inhalation.  
Ingestion..... Ingestion is unlikely. Contact a physician if unusual reaction is noted.  
Most important symptoms and effects, whether acute or delayed ..... May cause slight eye irritation. May cause mild skin irritation.  
Additional information..... In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet.

**SECTION 05: Fire fighting measures**

Suitable and unsuitable extinguishing media..... Carbon dioxide, dry chemical, foam. Treat as a petroleum fire.  
Hazardous combustion products..... Oxides of carbon (CO, CO2). Hydrocarbons.  
Special fire fighting procedures..... Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes.

**SECTION 06: Accidental release measures**

Leak/spill..... Pick up solids and put in a dust bin. Keep in a suitable, closed container for disposal.

**SECTION 07: Handling and storage**

Handling procedures..... Keep away from heat, sparks, and open flame. Handle in accordance with good industrial hygiene and safety practices. Employees should wash hands and face before eating or drinking.  
Storage needs..... Protect containers from physical damage. Store in a cool, dry and well ventilated area. Do not store above 49C.

## PRODUCT: 18200 ALUM SOUND DEADENING SHEETS 12/PK

## SECTION 08: Exposure controls / personal protection

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL NIOSH
PRODUCT IS AN ARTICLE AND NOT A CHEMICAL	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Respiratory/type.....	Not applicable. Local exhaust ventilation is recommended.				
Eye/type.....	Where contact with this material is possible, eye protection is recommended. May cause eye irritation after repeated or prolonged contact.				
Gloves/ type.....	Use of proper hygiene practices in the workplace is recommended. May cause skin irritation after repeated or prolonged contact.				
Clothing/type.....	Wear long sleeves and trousers to prevent dermal exposure. May cause skin irritation after repeated or prolonged contact.				
Footwear/type.....	Safety boots per local regulations.				
Other/type.....	Educate and train employees on the safe use and handling of the product.				
Appropriate engineering controls.....	Good general ventilation should be sufficient to control airborne levels.				

## SECTION 09: Physical and chemical properties

Physical state.....	Soft solid sheets.
Colour.....	Grey.
Odour.....	Faint. Characteristic odour.
Odour threshold (ppm).....	Not applicable.
Vapour pressure (mm Hg).....	Not applicable.
Vapour density (air=1).....	Not applicable.
pH.....	Not applicable.
Relative Density (Specific Gravity).....	1.50.
Melting / Freezing point (deg C).....	Not applicable.
Solubility.....	Not applicable.
Initial boiling point / boiling range (deg C).....	Not applicable.
Evaporation rate.....	Not applicable.
Flash point (deg C), method.....	Not flammable. > 232 COC.
Auto ignition temperature (deg C).....	Not applicable.
Upper flammable limit (% vol).....	Not applicable.
Lower flammable limit (% vol).....	No Data.
Coefficient of water/oil distribution.....	No Data.
VOC.....	Non volatile.
Viscosity.....	Not Applicable.

## SECTION 10: Stability and reactivity

Chemical stability.....	Stable at normal temperatures and pressures.
Reactivity.....	Avoid heat, sparks and flames.
Possibility of hazardous reactions.....	Will not occur under normal temperature and pressure.
Conditions to avoid.....	Keep away from heat. Incompatible with strong solvents.
Hazardous decomposition products.....	Decomposition may produce fumes, smoke, oxides of carbon and hydrocarbons.

## SECTION 11: Toxicological information

INGREDIENTS	LC50	LD50
PRODUCT IS AN ARTICLE AND NOT A CHEMICAL	Not applicable	Not applicable
Route of exposure.....	Not expected to pose any hazards.	
Effects of acute exposure.....	May cause slight eye and slight skin irritation.	
Effects of chronic exposure.....	Prolonged or repeated contact may cause eye and skin irritation.	
Carcinogenicity of material.....	Not applicable. Contains non-inhalable crystalline silica. Exposure to crystalline silica in the form of quartz in the workplace is mainly by the powders or dust generated, for example, during the operation of sawing the cement, sandblasting or transfilling bags or containers that may contain as main material or residue.	
Reproductive effects.....	Not applicable.	

## SECTION 12: Ecological information

Persistence and degradability.....	Not available.
------------------------------------	----------------

**PRODUCT: 18200 ALUM SOUND DEADENING SHEETS 12/PK****SECTION 13: Disposal considerations**

Waste disposal..... Dispose of as an industrial waste in a manner acceptable to good waste management practice and in accordance with applicable local, provincial/State or federal regulations.

**SECTION 14: Transport information**

TDG Classification..... Not regulated.  
 DOT Classification (Road)..... Not regulated.  
 IATA Classification (Air)..... Not regulated.  
 IMDG Classification (Marine)..... Not regulated.  
 Marine Pollutant..... No.  
 Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

**SECTION 15: Regulatory information**

CEPA status..... This is an article and not subject to the DSL.  
 SARA Title III  
 Section 302 - extremely hazardous ..... None.  
 substances  
 Section 311/312 - hazard categories..... None.  
 Section 313..... None.  
 EPA hazardous air pollutants (HAPS) ..... None.  
 40CFR63  
 California Proposition 65..... \*WARNING: This product contains a chemical known to the State of California to cause cancer. (Carbon black).

**SECTION 16: Other information**

Prepared by: ..... REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com.  
 Telephone number:..... (800) 387-7981.  
 Disclaimer:..... DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.  
 Preparation date: ..... APR 18/2018