

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Page: 1

Compilation date: 21/08/2019

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Product code: FAG3E101

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name:	Wyatt Machine Tools (Rupes) NZ Limited
	388 Church Street
	Penrose
	Auckland

New Zealand

Tel: (09) 525 1000

Fax: (09) 525 1009

Email: mark.wyatt@wyatt.co.nz

1.4. Emergency telephone number

Emergency tel:	0800 992 881 (0800WYATT1)		
Manufacturer:	: Farecla Products Limited		
	Broadmeads		
	Ware		
	Hertfordshire		
	SG12 9HS		
	UK		
Tel:	+44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)		
Fax:	+44 (0)19 2046 6557		
Email:	technical@farecla.com		

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Sens. 1: H317; STOT RE 2: H373 Most important adverse effects: May cause an allergic skin reaction. May cause damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]). Harmful to aquatic life with long lasting effects.

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

2.2. Label elements	
Label elements:	
Hazard statements:	H317: May cause an allergic skin reaction.
	H373: May cause damage to organs ([nervous system]) through prolonged or repeated
	exposure ([inhalation (vapour)]).
	H412: Harmful to aquatic life with long lasting effects.
Hazard pictograms:	GHS07: Exclamation mark
	GHS08: Health hazard
Signal words:	Warning
Precautionary statements:	P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P314: Get medical advice/attention if you feel unwell.
	P501: Dispose of contents and container to hazardous or special waste collection point,
	in accordance with local, regional, national and/or international regulation.
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-691-6	1344-28-1	Substance with a Community workplace exposure limit.	-	30-50%

KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT - REACH registered number(s): 01-2119484819-18-XXXX

265-149-8	64742-47-8	-	Asp. Tox. 1: H304; Aquatic Chronic 2:	1-10%
			H411	

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%) - REACH registered number (s): 01-2119458049-33-0000

919-446-0	-	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304;	1-10%
			STOT SE 3: H336; STOT RE 1: H372;	
			Aquatic Chronic 2: H411; -: EUH066	

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Page: 3

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	1-10%	

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	1-10%
			Skin Sens. 1: H317; Aquatic Chronic 2:	
		H411; Eye Irrit. 2: H319; Asp. Tox. 1:		
			H304	

1,2-BENZISOTHIAZOLIN-3-ONE

220-120-9	2634-33-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
			Eye Dam. 1: H318; Skin Sens. 1:	
			H317; Aquatic Acute 1: H400	

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

-	55965-84-9	-	Acute Tox. 3: H331; Acute Tox. 3: H311;	<1%
			Acute Tox. 3: H301; Skin Corr. 1B:	
			H314; Skin Sens. 1: H317; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410	

Contains: Pine oil

Kerosine - Unspecified - Distillates (Petroleum), Hydrotreated Light

Hydrocarbons, C9-C12, N-Alkanes, Isoalkanes, Cyclics, Aromatics (2-25%)

1.2-benzisothiazolin-3-one

A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC NO 247-500-7] and 2-methyl-

2H-isothiazol-3-one [EC NO 220-239-6]

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor. **Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor. Ingestion: Wash out mouth with water. Consult a doctor. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor. 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Retain in original packaging until required

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	5mg/m3	-
HYDROCARB	ONS, C9-C12, N-ALKANES	, ISOALKANES, CYCLIC,	AROMATICS (2-25%)	
UK	350 mg/m3	-	-	-
	RAL OIL (PETROLEUM)			
EU	5 mg/m3	-	-	-
PINE OIL				
EU	25 ppm, 140 mg/m3	50 ppm, 300 mg/m3	-	-
A MIXTURE C	F: 5-CHLORO-2-METHYL-	2H-ISOTHIAZOL-3-ONE [E	C NO 247-500-7] AND 2-MET	HYL-2H-ISOTHIAZOL-3-ON
UK	0.05 mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	330 mg/m3	Workers	Systemic
DNEL	Dermal	44 mg/kg/day	Workers	Systemic
DNEL	Inhalation	71 mg/m3	Consumers	Systemic
DNEL	Dermal	26 mg/kg/day	Consumers	Systemic
DNEL	Oral	26 mg/kg/day	Consumers	Systemic

1,2-BENZISOTHIAZOLIN-3-ONE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	111	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Page: 6

Section 9: Physical and chemical properties

9.1. Information on basic phys	9.1. Information on basic physical and chemical properties				
State:	Liquid				
Colour:					
Odour:	Characteristic odour				
Evaporation rate:	Negligible				
-	Non-oxidising (by EC criteria)				
Solubility in water:					
	No data available				
Viscosity:	Viscous				
Kinematic viscosity:	25000				
Viscosity test method:	Brookfield @ 20degC				
Boiling point/range °C:	No data available.	Melting point/range ℃:	Not applicable.		
Flammability limits %: lower:	No data available.	upper:	No data available.		
Flash point °C:	>93 Pa i	rt.coeff. n-octanol/water:	No data available.		
Autoflammability°C:	No data available.	Vapour pressure:	No data available.		
Relative density:	1.35	pH:	Approx. 10		
VOC g/l:	202				

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Page: 7

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

DERMAL	RAT	LD50	>3400	mg/kg
ORAL	RAT	LD50	>15000	mg/kg
VAPOURS	RAT	4H LC50	>13100	mg/l

PINE OIL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

1,2-BENZISOTHIAZOLIN-3-ONE

ORL	MUS	LD50	1150	mg/kg
ORL	RAT	LD50	1020	mg/kg

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

ORL	MUS	LD50	60	mg/kg
ORL	RAT	LD50	53	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:There may be irritation and redness at the site of contact.Eye contact:There may be irritation and redness. The eyes may water profusely.Ingestion:There may be soreness and redness of the mouth and throat.Inhalation:Exposure may cause coughing or wheezing.Delayed / immediate effects:Delayed effects can be expected after long-term exposure.Other information:Not applicable.

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Page: 8

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

ALGAE	72H IC50	<10	mg/l
Daphnia magna	48H EC50	<22	mg/l
Microorganisms	48H EC50	43.98	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	<30	mg/l

PINE OIL

ALGAE	72H ErC50	68	mg/l
Daphnia magna	48H EC50	73	mg/l
FISH	96H LC50	>62	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Recovery operations:
 Not applicable.

 Waste code number:
 08 04 12

 Disposal of packaging:
 Arrange for collection by specialised disposal company.

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Page: 9

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This substance is classified hazardous according to the EPA Hazardous Substances

(Classification) Notice 2017. New Zealand Legislation: HSNO Classifications: 6.5B,

6.9B, 9.1C. HSNO Group Standard: HSR002530 - Cleaning products subsidiary.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information		
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation	
	(EU) 2015/830	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.	
	H226: Flammable liquid and vapour.	
	H301: Toxic if swallowed.	
	H302: Harmful if swallowed.	
	H304: May be fatal if swallowed and enters airways.	
	H311: Toxic in contact with skin.	
	H314: Causes severe skin burns and eye damage.	
	H315: Causes skin irritation.	
	H317: May cause an allergic skin reaction.	
	H318: Causes serious eye damage.	
	H319: Causes serious eye irritation.	
	H331: Toxic if inhaled.	
	H336: May cause drowsiness or dizziness.	
	H372: Causes damage to organs ([nervous system]) through prolonged or repeated	
	exposure ([inhalation (vapour)]).	
	H373: May cause damage to organs ([nervous system]) through prolonged or repeated	
	exposure ([inhalation (vapour)]).	
	H400: Very toxic to aquatic life.	
	H410: Very toxic to aquatic life with long lasting effects.	
	H411: Toxic to aquatic life with long lasting effects.	
	H412: Harmful to aquatic life with long lasting effects.	[cont]
		· -

FARECLA G3 EXTRA ABRASIVE COMPOUND - NZ

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]

Page: 10