

Page 1/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

## SECTION 1: Identification of the substance or mixture and of the supplier

- · Product identifier
- · Trade name: PO S 34A, Heavy Cut Compound 1000
- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Abrasive and polishing compound
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Menzerna polishing compounds GmbH & Co. KG Industriestraße 25 76470 ÖTIGHEIM GERMANY

sds@menzerna.com Tel.: +49 (0) 7222 9157-0 www.menzerna.com

New Zealand Distributor: Wyatt Machine Tools Rupes (NZ) Limited

388 Church Street, Penrose, Auckland, New Zealand

Ph (09) 525 1000

- · Further information obtainable from: info@wyatt.co.nz
- · Emergency telephone number: 0800 992 881 (0800WYATT1)

## SECTION 2: Hazards identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes serious eye irritation.

Toxic to aquatic life.

**Precautionary statements** 

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

(Contd. on page 2)



Page 2/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 1)

Wash thoroughly after handling.

Avoid release to the environment.

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

## SECTION 3: Composition/Information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64742-48-9 EC number: 918-481-9	,	10-25%	
	♦ Asp. Tox. 1, H304; Flam. Liq. 4, H227		
CAS: 64741-89-5	Distillates (petroleum), solvent-refined light paraffinic	2.5-10%	
EINECS: 265-091-3	& Asp. Tox. 1, H304; Acute Tox. 5, H313; Acute Tox. 5, H333		
CAS: 68439-49-6	alcohols, C16-18, ethoxylated	2.5-10%	
Polymer	4 Aquatic Acute 1, H400; Aquatic Chronic 3, H412	-	
CAS: 68439-49-6	alcohols, C16-18, ethoxylated	≥0.25-<2.5%	
Polymer	Aquatic Acute 1, H400; Acute Tox. 5, H303; Acute Tox. 5, H313; Aquatic Chronic 3, H412		
CAS: 68439-49-6	alcohols, C16-18, ethoxylated	≥1-≤2.5%	
Polymer	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Acute Tox. 5, H313	-	
CAS: 52-51-7	bronopol (INN)	≥0.025-<0.25%	
EINECS: 200-143-0	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335		

#### Additional information:

Distillates (petroleum), solvent-refined light paraffinic: DMSO Extract < 3% according Method IP 346 For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Page 3/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 2)

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

Treat according to symptoms.

## SECTION 5: Fire fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Water spray, foam, dry powder or carbon dioxide.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Storage temperature: between 5°C and 30°C.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

N7 -



Page 4/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

CAS:	1344-28-1 aluminium oxide (25-50%)
WES	Long-term value: 10 mg/m³
	56-81-5 glycerol (≤2.5%)
WES	Long-term value: 10 mg/m³ mist
CAS:	102-71-6 Triethanolamine (≤2.5%)
WES	Long-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

Normally one does not come into direct contact with the product during use. At the risk of entanglement of protective glove in rotating or linear moving machine parts protective gloves should not be worn. Recommendation for short-term exposure: Use chemical resistant gloves.

### · Material of gloves

Recommended thickness of the material: > 0.45 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

## Penetration time of glove material

≥ 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Page 5/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 4)

· Eye/face protection Safety glasses



Tightly sealed goggles

**Body protection:** Protective work clothing

# SECTION 9: Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Colour:

· Odour: Characteristic · Odour threshold: Not determined.

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range >100 °C (>212 °F) · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: >100 °C (>212 °F) · Decomposition temperature: Not determined.

· pH at 20 °C (68 °F) 7-10

Viscosity:

Kinematic viscosity at 40 °C (104 °F) >20.5 mm<sup>2</sup>/s · Dynamic: Not determined.

· Solubility · water: Partly miscible.

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density and/or relative density

Density at 20 °C (68 °F): 1.4 g/cm3 (11.68 lbs/gal)

Not determined. · Relative density · Vapour density Not determined.

· Other information

· Appearance:

· Form: Viscous

· Important information on protection of health

and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· VOC (EC) 12.30 %

(Contd. on page 6)



Page 6/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

Contd. of page 5

		(Contd. of page 5)
· Change in condition		
· Softening point/range		
· Oxidising properties	Not determined.	
· Evaporation rate	Not determined.	
· Information with regard to physical hazard		
classes		
· Explosives	Void	
Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamn	nable	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

- · Reactivity None under normal conditions.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values relevant for classification:			
CAS: 6	CAS: 64741-89-5 Distillates (petroleum), solvent-refined light paraffinic		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rab) (OECD 402)	

(Contd. on page 7)





# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

	(Contd. of page 6)	
CAS: 68439-49-6 alcohols, C16-18, ethoxylated		
LD50	>2,000-5,000 mg/kg (rat)	
LD50	>2,000 mg/kg (rabbit)	
CAS: 68439-49-6 alcohols, C16-18, ethoxylated		
LD50	>300-2,000 mg/kg (rat)	
LD50	>2,000 mg/kg (rabbit)	
CAS: 52-51-7 bronopol (INN)		
LD50	305 mg/kg (rat)	
	LD50 LD50 <b>3439-4</b> LD50 LD50 <b>2-51-7</b>	

- · Serious eye damage/irritation Causes serious eye irritation.
- Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

· Toxicity

· Aquatic toxicity	<i>y</i> :		
CAS: 64742-48-	CAS: 64742-48-9 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (< 2% aromatics)		
LL50 (24h)	>1,000 mg/l (fi)		
LL50 (48h)	>1,000 mg/l (fi)		
CAS: 64741-89-	5 Distillates (petroleum), solvent-refined light paraffinic		
LC50	>100 mg/l (fi)		
EC50 (48h)	>10,000 mg/l (daphnia) (OECD 202)		
CAS: 68439-49-	6 alcohols, C16-18, ethoxylated		
LC50/96h	>1-10 mg/l (fi)		
EC50	140 mg/l (activated sludge)		
EC50 (72h)	>0.1-1 mg/l (al)		
NOEC (72h)	>0.1-1 mg/l (al)		
CAS: 68439-49-	6 alcohols, C16-18, ethoxylated		
LC50/96h	>1-10 mg/l (fish)		
EC10 (72h)	9.5 mg/l (al)		
EC50	140 mg/l (activated sludge)		
EC50 (48h) (stat	tic) <mark>&gt;1-10 mg/l (daphnia)</mark>		
CAS: 52-51-7 bi	ronopol (INN)		
LC50/96h	3 mg/l (Oncorhynchus mykiss)		
EC50 (3h)	13 mg/l (Kläranlage)		
EC50 (48h)	1.04 mg/l (dah)		
EC50 (72h)	0.068 mg/l (al)		
NOEC (72h)	0.0025 mg/l (al)		
NOEC (21d)	0.06 mg/l (dah)		
NOEC (28d)	2.61 mg/l (Oncorhynchus mykiss)		
	(Contd. on page 9)		

(Contd. on page 8)



Page 8/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 7)

· Persistence a	ind degradability
CAS: 68439-4	9-6 alcohols, C16-18, ethoxylated
degradability	>60 %
CAS: 68439-4	9-6 alcohols, C16-18, ethoxylated
degradability	>60 %
CAS: 68439-4	9-6 alcohols, C16-18, ethoxylated
degradability	>60 %

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· Waste disposal key:

Waste codes should be determined in consultation with the customer, supplier and disposal.

- Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

· UN number or ID number · ADR/RID, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR/RID, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR/RID, ADN, IMDG, IATA · Class	Void	
		, <u> </u>

(Contd. on page 9)



Page 9/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 8)

		· · · · · · · · · · · · · · · · · · ·	
· Packing group · ADR/RID, IMDG, IATA	V-:-		
ADR/RID, INIDG, IATA	Void		
· Environmental hazards:	Not applicable.		
· Special precautions for user	Not applicable.		
· Maritime transport in bulk according to IMO			
instruments	Not applicable.		
· UN "Model Regulation":	Void		

# SECTION 15: Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory	of Chemicals	
All ingredients are listed.		
· HSNO Approval numbers		
CAS: 68439-49-6 alcoho	ols, C16-18, ethoxylated	HSR003287
CAS: 52-51-7 brono	pol (INN)	HSR003563

### GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



### · Signal word Warning

### · Hazard statements

Causes serious eye irritation.

Toxic to aquatic life.

## · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash thoroughly after handling.

Avoid release to the environment.

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

NZ -



Page 10/10

# Safety Data Sheet in accordance with HSNO

Printing date 14.03.2022 Version number 9.1 Revision: 08.03.2022

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 9)

## **SECTION 16: Other information**

The details of the safety data sheet apply only to the product described in the context of its intended use. The information is based on the current state of our knowledge. It is intended to describe our product in view of the risks posed by it and the relevant precautionary measures. It does not represent an assurance of product and quality characteristics. The information in this safety data sheet is required under Article 31 and Annex II of Regulation EC (VO) no. 1907/2006.

#### Relevant phrases

H227 Combustible liquid.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H333 May be harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

### · Department issuing SDS: Product and Environmental Safety Department

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.