

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

* **SECTION 1: Identification of the substance or mixture and of the supplier**

- **Product identifier**
- **Trade name:** *Gelcoat Premium One-Step Polish*
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Abrasive and polishing compound
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Menzerna polishing compounds GmbH & Co. KG
Industriestraße 25
76470 ÖTIGHEIM
GERMANY
sds@menzerna.com
Tel.: +49 (0) 7222 9157-0
www.menzerna.com

- **New Zealand Distributor:**
Wyatt Machine Tools Rupes (NZ) Limited
388 Church Street, Penrose, Auckland, New Zealand
Ph (09) 525 1000
- **Further information obtainable from:** info@wyatt.co.nz
- **Emergency telephone number:** 0800 992 881 (0800WYATT1)

SECTION 2: Hazards identification

- **Classification of the substance or mixture**



health hazard

STOT RE 2 H373 May cause damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Acute Tox. 5 H333 May be harmful if inhaled.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Warning
- **Hazard-determining components of labelling:**
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
- **Hazard statements**
May be harmful if inhaled.

(Contd. on page 2)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: Gelcoat Premium One-Step Polish

(Contd. of page 1)

May cause damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/Information on ingredients

· **Mixtures**

· **Description:** Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 64742-55-8 EINECS: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic ☠ Asp. Tox. 1, H304; Acute Tox. 5, H313	10-25%
CAS: 64742-82-1 EC number: 919-164-8	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ☠ STOT RE 1, H372; Asp. Tox. 1, H304; ☠ Acute Tox. 4, H332; Flam. Liq. 4, H227; Acute Tox. 5, H313; Aquatic Chronic 3, H412	≥2.5-<10%
CAS: 64742-94-5 EC number: 918-811-1	Hydrocarbons, C10, aromatics, <1% naphthalene ☠ Asp. Tox. 1, H304; ☠ Aquatic Chronic 2, H411; ☠ STOT SE 3, H336; Flam. Liq. 4, H227; Acute Tox. 5, H313; Acute Tox. 5, H333	2.5-10%
CAS: 69011-36-5	Isotridecaanol, ethoxylated ☠ Acute Tox. 3, H301; ☠ Eye Dam. 1, H318	<1%

· **Additional information:**

Distillates (petroleum), hydrotreated light paraffinic: DMSO Extract < 3% according Method IP 346

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: Gelcoat Premium One-Step Polish

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
Treat according to symptoms.

SECTION 5: Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Water spray, foam, dry powder or carbon dioxide.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Nitrogen oxides (NOx)
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a well-ventilated place. Storage temperature: between 5°C and 30°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

NZ
(Contd. on page 4)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: **Gelcoat Premium One-Step Polish**

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

CAS: 1344-28-1 aluminium oxide (10-25%)	
WES	Long-term value: 10 mg/m ³
CAS: 56-81-5 glycerol (≤2.5%)	
WES	Long-term value: 10 mg/m ³ mist
CAS: 102-71-6 Triethanolamine (≤2.5%)	
WES	Long-term value: 5 mg/m ³

· **DNELs**

CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Inhalative	DNEL, general population, inhalativ	1.19 mg/m ³
	DNEL, worker, inhalativ	5.58 mg/m ³
CAS: 64742-94-5 Hydrocarbons, C10, aromatics, <1% naphthalene		
Oral	DNEL, general population, oral	7.5 mg/kg KG/d
Dermal	DNEL, general population, dermal	7.5 mg/kg KG/d
	DNEL, worker, dermal	12.5 mg/kg KG/d
Inhalative	DNEL, general population, inhalativ	32 mg/m ³
	DNEL, worker, inhalativ	150 mg/m ³

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

· **Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.
Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

Normally one does not come into direct contact with the product during use. At the risk of entanglement of protective glove in rotating or linear moving machine parts protective gloves should not be worn.

Recommendation for short-term exposure: Use chemical resistant gloves.

(Contd. on page 5)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: Gelcoat Premium One-Step Polish

(Contd. of page 4)

· **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.45 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

≥ 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Safety glasses

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

White

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

>100 °C (>212 °F)

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

>100 °C (>212 °F)

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C (68 °F)**

7-10

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

· **Dynamic at 20 °C (68 °F):**

9,000-15,000 mPas

· **Solubility**

· **water:**

Not miscible or difficult to mix.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure:**

Not determined.

· **Density and/or relative density**

· **Density at 20 °C (68 °F):**

1.1 g/cm³ (9.18 lbs/gal)

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **Other information**

· **Appearance:**

· **Form:**

Viscous

(Contd. on page 6)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: **Gelcoat Premium One-Step Polish**

(Contd. of page 5)

- **Important information on protection of health and environment, and on safety.**
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **VOC (EC)** ≤15.51 %
- **Change in condition**
- **Softening point/range**
- **Oxidising properties** Not determined.
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **Reactivity** None under normal conditions.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** May be harmful if inhaled.

(Contd. on page 7)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: **Gelcoat Premium One-Step Polish**

(Contd. of page 6)

· LD/LC50 values relevant for classification:		
CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
CAS: 64742-82-1 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
Oral	LD50	>15,000 mg/kg (rat)
Dermal	LD50	>3,400 mg/kg (rabbit)
Inhalative	LC50/4 h	>13.1 mg/l (rat)
CAS: 64742-94-5 Hydrocarbons, C10, aromatics, <1% naphthalene		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4,688 mg/l (rat)

· **STOT-repeated exposure**

May cause damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· **Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 64742-82-1 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	
EC50 (72h)	0.53 mg/l (al)
EC50 (21d)	0.328 mg/l (Invertebraten, aquatisch)
EL50 (48h)	22 mg/l (Invertebraten, aquatisch)
EL50 (21d)	1.19 mg/l (Invertebraten, aquatisch)
LL50 (96h)	30 mg/l (fi)
ErC50 (72h)	0.94 mg/l (al)
CAS: 64742-94-5 Hydrocarbons, C10, aromatics, <1% naphthalene	
EL50 (48h)	3-10 mg/l (daphnia)
EL50 (72h)	11 mg/l (Pseudokirchneriella subcapitata)
LL50 (96h)	2-5 mg/l (Oncorhynchus mykiss)
NOELR (72h)	2.5 mg/l (Pseudokirchneriella subcapitata)

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: **Gelcoat Premium One-Step Polish**

(Contd. of page 7)

- **Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.
- **Waste disposal key:**
Waste codes should be determined in consultation with the customer, supplier and disposal.
- **Uncleaned packaging:**
- **Recommendation:**
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· UN number or ID number	
· ADR/RID, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR/RID, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR/RID, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Maritime transport in bulk according to IMO instruments	Not applicable.
· UN "Model Regulation":	Void

* **SECTION 15: Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

(Contd. on page 9)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: Gelcoat Premium One-Step Polish

(Contd. of page 8)

· **HSNO Approval numbers**

CAS: 69011-36-5 Isotridecaanol, ethoxylated

HSR003551

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** Warning

· **Hazard-determining components of labelling:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

· **Hazard statements**

May be harmful if inhaled.

May cause damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The details of the safety data sheet apply only to the product described in the context of its intended use.

The information is based on the current state of our knowledge. It is intended to describe our product in view of the risks posed by it and the relevant precautionary measures. It does not represent an assurance of product and quality characteristics. The information in this safety data sheet is required under Article 31 and Annex II of Regulation EC (VO) no. 1907/2006.

· **Relevant phrases**

H227 Combustible liquid.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H313 May be harmful in contact with skin.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H333 May be harmful if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 10)

Safety Data Sheet
in accordance with HSNO

Printing date 14.03.2022

Version number 8.0 (replaces version 7.0)

Revision: 14.03.2022

Trade name: Gelcoat Premium One-Step Polish

(Contd. of page 9)

· **Department issuing SDS:** Product and Environmental Safety Department

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 5: Acute toxicity – Category 5

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**