

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

---

**SECTION 1: Identification of the substance or mixture and of the supplier**

- **Product identifier**
- **Trade name:** *Gelcoat Premium Gloss*
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Abrasive and polishing compound
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Menzerna polishing compounds GmbH & Co. KG  
Industriestraße 25  
76470 ÖTIGHEIM  
GERMANY  
sds@menzerna.com  
Tel.: +49 (0) 7222 9157-0  
www.menzerna.com
  
- New Zealand Distributor:  
Wyatt Machine Tools Rupes (NZ) Limited  
388 Church Street, Penrose, Auckland, New Zealand  
Ph (09) 525 1000
- **Further information obtainable from:** info@wyatt.co.nz
- **Emergency telephone number:** 0800 992 881 (0800WYATT1)

---

**SECTION 2: Hazards identification**

- **Classification of the substance or mixture**  
Aquatic Acute 3 H402 Harmful to aquatic life.
  
- **Label elements**
- **GHS label elements**  
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**  
Harmful to aquatic life.
- **Precautionary statements**  
Avoid release to the environment.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

---

**SECTION 3: Composition/Information on ingredients**

- **Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 1)

· <b>Dangerous components:</b>		
CAS: 8042-47-5 EINECS: 232-455-8	White mineral oil, petroleum ⚠ Asp. Tox. 1, H304; Acute Tox. 5, H313	10-25%
CAS: 64742-48-9 EC number: 920-901-0	Naphtha (petroleum), hydrotreated heavy(Nota P, -R45, R46, <0.1% benzene) ⚠ Asp. Tox. 1, H304; Flam. Liq. 4, H227; Acute Tox. 5, H313	10-25%
CAS: 52-51-7 EINECS: 200-143-0	bronopol (INN) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	≥0.025-<0.25%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
Treat according to symptoms.

**SECTION 5: Fire fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Water spray, foam, dry powder or carbon dioxide.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Nitrogen oxides (NOx)
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

**SECTION 6: Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a well-ventilated place. Storage temperature: between 5°C and 30°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 1344-28-1 aluminium oxide (10-25%)**

WES Long-term value: 10 mg/m<sup>3</sup>

**CAS: 56-81-5 glycerol (≤2.5%)**

WES Long-term value: 10 mg/m<sup>3</sup>  
mist

**CAS: 102-71-6 Triethanolamine (≤2.5%)**

WES Long-term value: 5 mg/m<sup>3</sup>

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not necessary if room is well-ventilated.

- **Hand protection**

Normally one does not come into direct contact with the product during use. At the risk of entanglement of protective glove in rotating or linear moving machine parts protective gloves should not be worn.  
Recommendation for short-term exposure: Use chemical resistant gloves.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Recommended thickness of the material: ≥ 0.45 mm  
Nitrile rubber, NBR

(Contd. on page 4)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 3)

- **Penetration time of glove material**  
≥ 480 min  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Safety glasses
- **Body protection:** Protective work clothing

**SECTION 9: Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

- |   |                                      |
|---|--------------------------------------|
| · <b>Physical state</b>   | Fluid                                |
| · <b>Colour:</b>  | Grey                                 |
| · <b>Odour:</b>   | Characteristic                       |
| · <b>Odour threshold:</b>   | Not determined.                      |
| · <b>Melting point/freezing point:</b>                            | Undetermined.                        |
| · <b>Boiling point or initial boiling point and boiling range</b> | >100 °C (>212 °F)                    |
| · <b>Flammability</b>   | Not applicable.                      |
| · <b>Lower and upper explosion limit</b>                          |                                      |
| · <b>Lower:</b>   | Not determined.                      |
| · <b>Upper:</b>   | Not determined.                      |
| · <b>Flash point:</b>   | >100 °C (>212 °F) (DIN EN ISO 3680)  |
| · <b>Decomposition temperature:</b>                               | Not determined.                      |
| · <b>pH at 20 °C (68 °F)</b>                                      | 7-10                                 |
| · <b>Viscosity:</b>   |                                      |
| · <b>Kinematic viscosity at 40 °C (104 °F)</b>                    | >20.5 mm <sup>2</sup> /s             |
| · <b>Dynamic:</b>   | Not determined.                      |
| · <b>Solubility</b>   |                                      |
| · <b>water:</b>   | Not miscible or difficult to mix.    |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                      |
| · <b>Vapour pressure at 20 °C (68 °F):</b>                        | 23 hPa (17.3 mm Hg)                  |
| · <b>Density and/or relative density</b>                          |                                      |
| · <b>Density at 20 °C (68 °F):</b>                                | 1.1 g/cm <sup>3</sup> (9.18 lbs/gal) |
| · <b>Relative density</b>   | Not determined.                      |
| · <b>Vapour density</b>   | Not determined.                      |

· **Other information**

- |  |   |
|--|---|
| · <b>Appearance:</b>   |   |
| · <b>Form:</b>   | Viscous                                       |
| · <b>Important information on protection of health and environment, and on safety.</b> |   |
| · <b>Auto-ignition temperature:</b>  | Product is not selfigniting.                  |
| · <b>Explosive properties:</b>   | Product does not present an explosion hazard. |
| · <b>Solvent content:</b>  |   |
| · <b>VOC (EC)</b>  | 12.40 %                                       |

(Contd. on page 5)

**Safety Data Sheet**  
*in accordance with HSNO*

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 4)

- **Change in condition**
- **Softening point/range**
- **Oxidising properties** Not determined.
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

**SECTION 10: Stability and reactivity**

- **Reactivity** None under normal conditions.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

**CAS: 8042-47-5 White mineral oil, petroleum**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

(Contd. on page 6)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 5)

<b>CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy(Nota P, -R45, R46, &lt;0.1% benzene)</b>		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rab)
<b>CAS: 52-51-7 bronopol (INN)</b>		
Oral	LD50	305 mg/kg (rat)
· <b>Information on other hazards</b>		
· <b>Endocrine disrupting properties</b>		
None of the ingredients is listed.		

**SECTION 12: Ecological information**

· **Toxicity**

· **Aquatic toxicity:**

<b>CAS: 8042-47-5 White mineral oil, petroleum</b>	
LC50/96h	>1,000 mg/l (Leuciscus idus)
<b>CAS: 52-51-7 bronopol (INN)</b>	
LC50/96h	3 mg/l (Oncorhynchus mykiss)
EC50 (3h)	13 mg/l (Kläranlage)
EC50 (48h)	1.04 mg/l (dah)
EC50 (72h)	0.068 mg/l (al)
NOEC (72h)	0.0025 mg/l (al)
NOEC (21d)	0.06 mg/l (dah)
NOEC (28d)	2.61 mg/l (Oncorhynchus mykiss)

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

· **Waste treatment methods**

· **Recommendation** Disposal must be made according to official regulations.

· **Waste disposal key:**

Waste codes should be determined in consultation with the customer, supplier and disposal.

(Contd. on page 7)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 6)

- **Uncleaned packaging:**
- **Recommendation:**  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

**SECTION 14: Transport information**

· <b>UN number or ID number</b> · <b>ADR/RID, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b> · <b>ADR/RID, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b> · <b>ADR/RID, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>Packing group</b> · <b>ADR/RID, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Void

\* **SECTION 15: Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

· **HSNO Approval numbers**

CAS: 52-51-7 | bronopol (INN)

HSR003563

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements**

Harmful to aquatic life.

· **Precautionary statements**

Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

NZ

(Contd. on page 8)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 16.03.2022

Version number 6.1

Revision: 08.03.2022

Trade name: **Gelcoat Premium Gloss**

(Contd. of page 7)

**SECTION 16: Other information**

The details of the safety data sheet apply only to the product described in the context of its intended use. The information is based on the current state of our knowledge. It is intended to describe our product in view of the risks posed by it and the relevant precautionary measures. It does not represent an assurance of product and quality characteristics. The information in this safety data sheet is not required under Article 31 and Annex II of Regulation EC (VO) no. 1907/2006. It is used to provide sufficient information on a voluntary basis to ensure the safe use of our product.

· **Relevant phrases**

H227 Combustible liquid.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H313 May be harmful in contact with skin.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Product and Environmental Safety Department

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 5: Acute toxicity – Category 5  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**