

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 1

Compilation date: 21/08/2019

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Product code: FAPRL101, FAPRL106

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: Wyatt Machine Tools (Rupes) NZ Limited

388 Church Street

Penrose

Auckland

New Zealand

Tel: (09) 525 1000 **Fax:** (09) 525 1009

(00) 0=0 :000

Email: mark.wyatt@wyatt.co.nz

1.4. Emergency telephone number

Emergency tel: 0800 992 881 (0800WYATT1)

Manufacturer: Farecla Products Limited

Broadmeads

Ware

Hertfordshire SG12 9HS

UK

Tel: +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)

Fax: +44 (0)19 2046 6557

Email: technical@farecla.com

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains pine oil, a mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one [ec no 247-500-7]

and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6], 1,2-benzisothiazolin-3-one. May

produce an allergic reaction. Harmful to aquatic life with long lasting effects.

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 2

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains pine oil, a mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one [ec no

247-500-7] and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6], 1,2-benzisothiazolin-3-

one. May produce an allergic reaction.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements: P273: Avoid release to the environment.

P501: Dispose of contents/container to local specialized disposal company.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-691-6	1344-28-1	Substance with a Community	-	10-30%
		workplace exposure limit.		

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS - REACH registered number (s): 01-2119456620-43-XXXX

926-141-6 - Asp. Tox. 1: H304; -: EUH066	10-30%
--	--------

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%) - REACH registered number(s): 01-2119473977-17-XXXX

919-164-8	-	-	Asp. Tox. 1: H304; Aquatic Chronic 3:	1-10%
			H412	

HYDROCARBONS, C10, AROMATICS <1% NAPTHALENE - REACH registered number(s): 01-2119463583-34-XXXX

918-811-1	-	-	STOT SE 3: H335; STOT SE 3: H336;	1-10%
			Asp. Tox. 1: H304; Aquatic Chronic 2:	
			H411	

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community	Asp. Tox. 1: H304	1-10%
		workplace exposure limit.		

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS - REACH registered number (s): 01-2119457735-29-0003

919-029-3	-	Substance with a Community	Asp. Tox. 1: H304; -: EUH066	1-10%
		workplace exposure limit.		

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 3

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	<1%
			Skin Sens. 1: H317; Aquatic Chronic 2:	
			H411; Eye Irrit. 2: H319; Asp. Tox. 1:	
			H304	

Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, aromatics (2-25%)

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact. An itchy rash may occur at the site of

contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Not applicable.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE

Workplace exposure limits:

Respirable	e dus	Ī
------------	-------	---

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	5mg/m3	-

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

EU	1200mg/m3, 165ppm	-	-	-	
----	-------------------	---	---	---	--

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

EU	10ppm, 50mg/m3	-	1	-

HYDROCARBONS, C10, AROMATICS < 1% NAPTHALENE

	FII	10 ppm, 50 mg/m3	_	_	_
--	-----	------------------	---	---	---

WHITE MINERAL OIL (PETROLEUM)

EU	5 mg/m3	-	-	-
----	---------	---	---	---

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 5

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

 EU
 5 mg/m

 PINE OIL

 EU
 25 ppm, 140 mg/m3
 50 ppm, 300 mg/m3

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colour: White

Odour: Characteristic odour

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Slightly soluble

Also soluble in: No data available

Viscosity: Viscous

Kinematic viscosity: 20,000

Viscosity test method: Brookfield @ 20degC

Boiling point/range ℃: Not Available Melting point/range ℃: Not Available

Flammability limits %: lower: Not Available upper: Not Available

Flash point °C: >93 Part.coeff. n-octanol/water: Not Available

Autoflammability°C: Not Available Vapour pressure: Not Available

Relative density: 1.150 pH: 7 - 8

VOC g/I: 266

9.2. Other information

Other information: Not applicable.

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 6

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

DERMAL	RBT	LD50	> 5000	mg/kg
ORAL	RAT	LD50	> 5000	mg/kg
VAPOURS	RAT	8H LC50	> 5000	mg/l

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LD50	>13.1	mg/l

HYDROCARBONS, C10, AROMATICS <1% NAPTHALENE

DERMAL	RBT	LD50	>2000	ma/ka
DEI IIVI/ LE		2500	/ 2000	···g/ ··g

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 7

GASES	RAT	4H LC50	>4688	mg/l
ORAL	RAT	LD50	>5000	mg/kg

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

DERMAL	RBT	LD50	>3160	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5266	mg/l

PINE OIL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact. An itchy rash may occur at the site of

contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

Daphnia magna	48H EC50	1000	mg/l
Pseudokirchneriella subcapitata	72H ErC50	1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1000	mg/l

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 8

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

ALGAE	72H EL50	50 - 100	mg/l
Daphnia magna	48H EL50	10 - 22	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LL50	10 - 100	mg/l

HYDROCARBONS, C10, AROMATICS <1% NAPTHALENE

ALGAE	72H ErC50	11	mg/l
Daphnia magna	48H EC50	3 - 10	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	2 - 5	mg/l

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

FISH	96H LC50	1028	mg/l
Invertebrate	48H EC50	>3000	mg/l
MARINE ALGAE (Skeletonema costatum)	72H ErC50	3198	mg/l

PINE OIL

ALGAE	72H ErC50	68	mg/l
Daphnia magna	48H EC50	73	mg/l
FISH	96H LC50	>62	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Dispose of as normal industrial waste.

FARECLA PROFILE PREMIUM LIQUID COMPOUND - NZ

Page: 9

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This substance is classified hazardous according to the EPA Hazardous Substances

(Classification) Notice 2017. New Zealand Legislation: HSNO Classifications: 9.1C.

HSNO Group Standard: HSR002530 - Cleaning products subsidiary.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains pine oil, a mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one [ec no

247-500-7] and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6], 1,2-benzisothiazolin-3-

one. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.