

Page: 1 of 8 Printed: 08/17/2020

Revision: 05/01/2019

1. Product and Company Identification

Product Code: LFGRPCLRBW12
Product Name: Rebel Beaver Wax

Trade Name: RENEGADE PRODUCTS

Manufacturer Information:

Company Name: Maverick Abrasives

4340 E. Miraloma Ave Anaheim, CA 92807

Web site address: www.renegadeproductsusa.com
Email address: cs@renegadeproductsusa.com

Emergency Contact: INFOTRAC (800)535-5053

Contract #914-39

Supplier Name and Address:

Company Name: Wyatt Machine Tools

388 Church Street, Penrose

Auckland,

Web site address: www.wyatt.co.nz
Email address: info@wyatt.co.nz

Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881

(8 am - 4 pm)

Part Number: LFGRPMRBW1GAL

2. Hazards Identification

Aspiration Toxicity, Category 2
Flammable Liquids, Category 4

Skin Corrosion/Irritation, Category 3

Serious Eye Damage/Eye Irritation, Category 2B



GHS Signal Word: Warning

GHS Hazard Phrases: H227 - Combustible liquid.

H305 - May be harmful if swallowed and enters airways.

H316 - Causes mild skin irritation. H320 - Causes eye irritation.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Phone Number:

+48 (094)351-2394 112

(09)525-1000

contact lenses, if present and easy to do. Continue rinsing.

P331 - Do NOT induce vomiting.

P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal P403+235 - Store in cool/well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container to ...

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 2 of 8 Printed: 08/17/2020 Revision: 05/01/2019

OSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSDS

contains valuable information critical to the safe handling and proper use of the product.

This MSDS should be retained and available for employees and other users of this

product.

Potential Health Effects

(Acute and Chronic):

Hazards not otherwise classified (HNOC) or not covered by GHS -none.

Inhalation: May be harmful if inhaled.

Skin Contact: Harmful if absorbed through the skin. Causes skin irritation.

Eye Contact: Causes eye irritation.

Ingestion: Harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause

damage.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
1302-76-7	Aluminum silicate	1.5 -4.0 %	
63148-62-9	Polydimethylsiloxane	< 4.5 %	
64742-47-8	Hydrotreated light distillate (petroleum)	8.0 -12.0 %	
8015-86-9	Carnauba wax	< 3.0 %	
6440-58-0	Preservative	< 0.2 %	

4. First Aid Measures

Emergency and First Aid

Procedures:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician. Take victim immediately to

hospital.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Flush eyes with water as a precaution.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician. Do NOT induce vomiting.

Signs and Symptoms Of

Exposure:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Nausea, Dizziness. Headache. To the best of our

knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Indication of any immediate No data available.

medical attention and special

treatment needed:

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.



Printed: 08/17/2020 Revision: 05/01/2019

5. Fire Fighting Measures

> 37.00 C (98.6 F) Method Used: Estimate Flash Pt: **Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: > 230.00 C (446.0 F)

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.

Further information: No data available.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion No data available.

Products:

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. For personal protection see section 8. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Steps To Be Taken In Case Material Is Released Or Spilled:

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal. Personal precautions.

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low

areas.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Sweep up and shovel.

7. Handling and Storage

Precautions To Be Taken in Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Precautions To Be Taken in Storing:

Keep container tightly closed in a dry and well-ventilated place. Store in original container. Containers which are opened must be carefully resealed and kept upright to

prevent leakage.

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. Apart

from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1302-76-7	Aluminum silicate	No data.	No data.	No data.
63148-62-9	Polydimethylsiloxane	No data.	No data.	No data.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 3 of 8



Page: 4 of 8 Printed: 08/17/2020 Revision: 05/01/2019

64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.
8015-86-9	Carnauba wax	No data.	No data.	No data.
6440-58-0	Preservative	No data.	No data.	No data.

Personal Protective Equipment Symbols:

Respiratory Equipment (Specify Type):

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU). Wear respiratory protection.

Respiratory protection is not required. Where protection from nuisance levels of dusts

are desired, use type N95 (US) or type P1 (EN 143) dust masks.

Eye Protection: Face shield and safety glasses. Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US) or EN 166(EU).

Handle with gloves. Use proper glove removal technique (without touching glove's outer Protective Gloves:

> surface) to avoid skin contact with this product. Wash and dry hands. Full contact. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.

It should not be construed as offering an approval for any specific use scenario.

Impervious clothing. Complete suit protecting against chemicals. Flame retardant Other Protective Clothing:

> antistatic protective clothing. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The

type of protective equipment must be selected according to the concentration and

amount of the dangerous substance at the specific workplace.

Engineering Controls

(Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday. General industrial hygiene practice.

Work/Hygienic/Maintenance

Practices:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately

after handling the product.

Environmental Exposure

Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

9. Physical and Chemical Properties

[X]Liquid [] Solid **Physical States:** [] Gas

Viscous. Cherry-Vanilla. Appearance and Odor:

pH:

-55.00 C (-67.0 F) - -48.99 C (-56.2 F) Melting Point: 140.00 C (284.0 F) - 245.00 C (473.0 F) **Boiling Point:**

> 37.00 C (98.6 F) Method Used: Estimate Flash Pt:

Evaporation Rate: No data.

No data available. Flammability (solid, gas):

LEL: No data. UEL: No data. **Explosive Limits:**

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.



Page: 5 of 8 Printed: 08/17/2020 Revision: 05/01/2019

Specific Gravity (Water = 1): No data.

Density: ~ 0.885 G/CM3

Solubility in Water: No data.

Octanol/Water Partition No data.

Coefficient:

Autoignition Pt: > 230.00 C (446.0 F)

Decomposition Temperature: No data. **Viscosity:** No data.

10. Stability and Reactivity

Reactivity: No data available.

Stability: Unstable [] Stable [X]

Conditions To Avoid -

No data available. Heat, flames and sparks.

Instability:

Incompatibility - Materials To None.

Avoid:

Hazardous Decomposition or No data available. In the event of fire: see section 5. formed under fire conditions.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: Acute toxicity: no data available.

Inhalation: No data available. Dermal. Germ cell mutagenicity:

Aspiration hazard: Respiratory or skin sensitization: Teratogenicity: No data available. Specific target organ toxicity -single exposure (Globally Harmonized System) Specific

target organ toxicity - repeated exposure (Globally Harmonized System)

Acute toxicity.
Result: negative.

Irritation or Corrosion: Skin corrosion/irritation.

Result: Tumorigenic:Tumors at site or application. Mild skin irritation -24 Eyes: Rabbit.

No data available.

No skin irritation -4. Serious eye damage/eye irritation: no data available.

Sensitization: No data available. Standard Draize Test. Species: Guinea pig. Result:

Tumorigenic:Tumors at site or application.

Chronic Toxicological

Specific target organ toxicity -single exposure (Globally Harmonized System) No data

Effects: available.

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other

Information:

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 6 of 8

Printed: 08/17/2020 Revision: 05/01/2019

12. Ecological Information

General Ecological

Information:

No data available.

Results of PBT and vPvB

assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted.

Persistence and

No data available.

Degradability:

Bioaccumulative Potential: No data available. Mobility in Soil: No data available.

Other adverse effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal.

Toxic to aquatic life. No data available.

13. Disposal Considerations

Waste Disposal Method:

Dispose of contents/container to ... The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:

DOT Hazard Class: UN/NA Number:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Flammable liquids, n.o.s.

UN Number: Packing Group:

Hazard Class:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1302-76-7	Aluminum silicate	No	No	No
63148-62-9	Polydimethylsiloxane	No	No	No
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No
8015-86-9	Carnauba wax	No	No	No
6440-58-0	Preservative	No	No	No



This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

Page: 7 of 8

Printed: 08/17/2020 Revision: 05/01/2019

[] Yes [X] No	Explosive	[] Yes [X] No Acute toxicity (any route of exposure)	
	Flammable (gases, aerosols, liquid, or solid)	[X] Yes [] No Skin Corrosion or Irritation	
	Oxidizer (liquid, solid or gas)	[X] Yes [] No Serious eye damage or eye irritation	
	Self-reactive	[] Yes [X] No Respiratory or Skin Sensitization	
	Pyrophoric (liquid or solid)	[] Yes [X] No Germ cell mutagenicity	
	Pyrophoric gas	[] Yes [X] No Carcinogenicity	
	Self-heating	[] Yes [X] No Reproductive toxicity	
	Organic peroxide	[] Yes [X] No Specific target organ toxicity (single or repeated exposure	ıre)
	Corrosive to metal	[X] Yes [] No Aspiration Hazard	.0)
	Gas under pressure (compressed gas)	[] Yes [X] No Simple Asphyxiant	
[] Yes [X] No	In contact with water emits flammable gas	[] Yes [X] No (Health) Hazard Not Otherwise Classified (HNOC)	
	Combustible Dust	[1:00[:1:00]	
	(Physical) Hazard Not Otherwise Classified (HNOC)		
[] []			
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists	
		CAALIAD ODG NEE OWA NDDEG NEE TOGA NEE CA	\neg
1302-76-7	Aluminum silicate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA	
1302-76-7	Aluminum silicate	PROP.65: No; CA TAC, Title 8: No	
1302-76-7	Aluminum silicate Polydimethylsiloxane		
		PROP.65: No; CA TAC, Title 8: No	
		PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -	
	Polydimethylsiloxane	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No	
63148-62-9		PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -	
63148-62-9 64742-47-8	Polydimethylsiloxane Hydrotreated light distillate (petroleum)	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No	
63148-62-9	Polydimethylsiloxane	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -	
63148-62-9 64742-47-8 8015-86-9	Polydimethylsiloxane Hydrotreated light distillate (petroleum) Carnauba wax	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No	
63148-62-9 64742-47-8	Polydimethylsiloxane Hydrotreated light distillate (petroleum)	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -	
63148-62-9 64742-47-8 8015-86-9	Polydimethylsiloxane Hydrotreated light distillate (petroleum) Carnauba wax	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No	
63148-62-9 64742-47-8 8015-86-9	Polydimethylsiloxane Hydrotreated light distillate (petroleum) Carnauba wax	PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -	

the EPA Hazardous Substances (Classification) Notice 2017 (NZ) HSNO Classifications:...... 6.1E, 3.1D, 6.3B, 6.4A

(NZ) HSNO Group Standard:..... Cleaning Products Flammable HSR002528.

16. Other Information

Revision Date: 05/01/2019

Hazard Rating System:

HEALTH 1
FLAMMABILITY 1
REACTIVITY 0
PPE

HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product. The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 8 of 8 Printed: 08/17/2020 Revision: 05/01/2019

	disposal of this product.	
Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc. GHS format	Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.	GHS format