

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: PF 14402 LIQUID MASK 20L

SECTION 01: IDENTIFICATION

Initial supplier identifier..... Wyatt Machine Tools (Rupes) NZ Limited

> 388 Church Street, Penrose Auckland, New Zealand PH: (09) 525 1000

FAX: (09) 525 1009

Product identifier..... PF 14402 LIQUID MASK 20L Coatings. Automotive.

Recommended use and restrictions on ...

Chemical family.....

NFPA rating.....

HMIS.....

24 hour emergency number:.....

Health: 1 Fire: 0 Reactivity: 0.

H: 1 F: 0 R: 0.

NZ Emergency 0800 992 881 (0800WYATT1).

SECTION 02: HAZARD IDENTIFICATION

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified. Hazard Description..... Not classified.

This product does not meet the OSHA Hazard Communication, Globally Harmonized Note

System or Workplace Hazardous Materials Information System criteria as a controlled or classified product. This product mixture has been classified based on its ingredients.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CAS# CHEMICAL NAME AND SYNONYMS WT. %

No known hazardous ingredients

SECTION 04: FIRST-AID MEASURES

In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Consult a physician if irritation continues. Wash using plenty of soap and water. Remove contaminated clothing. If irritation persists, Eye contact.....

Skin contact.....

seek medical attention. Wash clothing before reuse.

Move victim away from affected area to fresh air.

Ingestion.....

If ingestion is suspected, contact physician or poison control center immediately. Do not induce vomiting. Rinse mouth with water. Give 1 to 2 glasses of water to drink. May cause mild skin irritation. May cause slight eye irritation. Symptoms may include Most important symptoms and effects,

whether acute or delayed stinging, tearing, redness, swelling, and blurred vision. Direct contact with eyes may cause

temporary irritation.

Treat victims symptomatically. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet. Additional information.....

SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing media

Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion products

Special protective equipment and precautions for fire-fighters

Carbon dioxide, dry chemical, foam. Use extinguishing media that is applicable to surrounding fire.

Oxides of carbon (CO, CO2). Other potentially toxic fumes.

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed containers with cold water spray. Heat will cause pressure buildup and may cause explosive rupture.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill.....

Ventilate. Eliminate all sources of ignition. Contain the spill. Prevent runoff into drains, sewers, and other waterways. Avoid all personal contact. Evacuate all non-essential personnel. Absorb with an inert dry material and place in an appropriate waste container. Spilled material and water rinses are classified as chemical waste, and must be disposed of in accordance with current local, provincial, state, and federal regulations.



PRODUCT: PF 14402 LIQUID MASK 20L

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Keep away from heat, sparks, and open flame. Avoid all skin contact and ventilate

adequately, otherwise wear an appropriate breathing apparatus. Wear appropriate protective equipment. Avoid breathing vapours or mist. Handle and open container with care. Employees should wash hands and face before eating or drinking.

Conditions for safe storage, including any incompatibilities

Store in a cool and dry place, for product integrity. Keep container closed when not in use. Keep away from heat, sparks, and open flames. Store away from oxidizing and reducing materials. Store away from sunlight. Keep from freezing.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	PEL	OSHA PEL STEL	REL NIOSH	
-------------	-----	------------------	-----	------------------	-----------	--

For operations where inhalation exposure can occur, a NIOSH-approved respirator may be Respiratory/type.....

necessary. Eye/type.....

Safety glasses with side-shields. Chemical resistant gloves. Gloves/ type..... Wear adequate protective clothes. Clothing/type..... Safety boots per local regulations. Footwear/type.....

Other/type..... Emergency showers and eye wash stations should be available. Employees should wash

their hands and face before eating, drinking, or using tobacco products.

Appropriate engineering controls..... Provide natural or mechanical ventilation to control exposure levels below airborne exposure limits. Local mechanical exhaust ventilation should be used at sources of air contamination, such as open process equipment, or during purging operations, to capture

gases and fumes that may be emitted. Standard reference sources regarding industrial ventilation (ie. ACGIH industrial ventilation) should be consulted for guidance about

adequate ventilation. Exposure limits.....

GLYCERIN – TWA(OSHA PEL) 15mg/m³ / TWA(ACGIH TLV 10mg/m³ / TWA(NOISH)ppm(1)mg/m³(1).

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical state..... Liquid.

Opaque. Translucent. Colour.....

Odour..... Mild. Odour threshold (ppm).....Vapour pressure (mm Hg)..... No data No data. Vapour density (air=1)..... No data.

1.05 ± 0.03g/ml at 20°C. 0°C. (estimate). 100°C.

pH......Relative Density (Specific Gravity).......Melting / Freezing point (deg C)...........Initial boiling point / boiling range (deg C).

Solubility..... Soluble.

>100. Does not support combustion.

Not applicable. Not applicable. Lower flammable limit (% vol)..... Not applicable. Partition coefficient — n-octanol/water.....
% Volatile by volume..... Not available. Not available.

VOC..... <40g/l (0.33 lb/USG). Viscosity.....

5000 - 10000 cps at 20°C.

SECTION 10: STABILITY AND REACTIVITY

Chemical stability..... Stable at normal temperatures and pressures.

Reactivity Excessive heat, sparks and open flame. Possibility of hazardous reactions..... Hazardous polymerization will not occur.

Incompatible with strong oxidizers. Conditions to avoid, including static discharge, shock or vibration

Oxides of carbon (CO,CO2). When burning may cause formation of toxic chemicals. Hazardous decomposition products......

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

Route of exposure...... Eye contact. Skin contact. Inhalation.



PRODUCT: PF 14402 LIQUID MASK 20L

SECTION 11: TOXICOLOGICAL INFORMATION

Effects of chronic exposure..... May aggravate pre-existing skin and eye disorders.

Carcinogenicity of material..... None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

Reproductive effects..... None known.

SECTION 12: ECOLOGICAL INFORMATION

Environmental..... Do not allow to enter waters, waste water or soil. Not available. Persistence and degradability.....

SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal. and methods of disposal, including any contaminated packaging

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

SECTION 14: TRANSPORT INFORMATION

TDG Classification..... Not regulated. DOT Classification (Road)..... Not regulated. IATA Classification (Air)..... Not regulated. IMDG Classification (Marine)..... Not regulated. Marine Pollutant..... No.

Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July

2, 2014) - we certify that classification of this product is correct. .

SECTION 15: REGULATORY INFORMATION

On Domestic Substances List (DSL). CEPA status.....

TSCA inventory status..... Not determined.

This product is not hazardous.

SARA Title III None.

Section 302 - extremely hazardous

substances

Section 311/312 - hazard categories......

(NZ) Statement.....

Section 313...... EPA hazardous air pollutants (HAPS)

California Proposition 65.....

This product is not hazardous.

None. None.

This product does not contain any chemical(s) known to the State of California to cause

cancer or reproductive toxicity.

This substance is not classified hazardous according to the EPA Hazardous Substances

(Classification) Notice 2017.

SECTION 16: OTHER INFORMATION

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. Prepared by:

(800) 387-7981. Telephone number:.....

Disclaimer:.... DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process. Date of the latest revision of the safety 2020-02-28

data sheet