

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: PF17920 NYLON REINFORCING TAPE

SECTION 01: IDENTIFICATION

Initial supplier identifier..... Wyatt Machine Tools (Rupes) NZ Limited

> 388 Church Street, Penrose Auckland, New Zealand PH: (09) 525 1000

FAX: (09) 525 1009

Product identifier..... PF17920 NYLON REINFORCING TAPE Recommended use and restrictions on ... Automotive.

Chemical family..... Article.

Hazard rating

NFPA rating..... Health: 0 Fire: 0 Reactivity: 0.

HMIS.....24 hour emergency number:..... H:0 F:0 R:0.

NZ Emergency 0800 992 881 (0800WYATT1).

SECTION 02: HAZARD IDENTIFICATION

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified. Hazard Description..... Not classified.

Prevention..... No special precautions necessary.

Dust may be created by mechanical processing. Note

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS CHEMICAL NAME AND SYNONYMS CAS# WT. % Glass, oxide, chemicals 65997-17-3 40-70

Polyethylene Terephthalate (PET) 25038-59-9 5-10

SECTION 04: FIRST-AID MEASURES

Check for and remove any contact lenses, if safe and easy to do so. Flush for 15 minutes Eye contact.....

using plenty of water. If irritation persists seek medical attention.

Wash slowly with lukewarm water.

Inhalation..... Glass fibers may cause mechanical irritation to the mouth, nose and throat.

Not applicable. Ingestion.....

May cause mechanical irritation. May cause mild skin irritation. May cause respiratory Most important symptoms and effects,

whether acute or delayed irritation.

Additional information..... In the event of an incident involving this product ensure that medical authorities are

provided a copy of this safety data sheet.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing Use extinguishing media for surrounding fire.

Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion products

precautions for fire-fighters

Special protective equipment and

Does not support combustion.

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill..... Pick up solids and put in a dust bin. Avoid formation of dust.

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Keep away from heat, sparks, and open flame. Employees should wash hands and face before eating or drinking. Handle in accordance with good industrial hygiene and safety

Conditions for safe storage, including any

incompatibilities

Store in a cool and dry place, for product integrity. Store away from sunlight. Store away from oxidizing and reducing materials.



PRODUCT: PF17920 NYLON REINFORCING TAPE

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	OS PEL	HA PEL STEL	NIOSH REL
Glass, oxide, chemicals Polyethylene Terephthalate (PET)	5 mg/m3 Not established	Not established Not established	Not established Not established	Not established Not established	5 mg/m3 total dust Not established
Respiratory/type			ince dust exposure shields. ves. clothes. ulations. ees on the safe use	imits. and handling of the prod	uct. Employees

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical state	Solid.
Colour	Glass yarn scrim with coating and adhesive.
Odour	No odour.
Odour threshold (ppm)	Not applicable.
Vapour pressure (mm Hg)	<0.1mm Hg.
Vapour density (air=1)	Not applicable.
pH	Not applicable.
Relative Density (Specific Gravity)	2.5.
Melting / Freezing point (deg C)	Not applicable.
Solubility	Adhesive is soluble.
Initial boiling point / boiling range (deg C).	Not applicable.
Evaporation rate	Not applicable.
Flash point (deg C), method	Not applicable.
Auto ignition temperature (deg C)	Not applicable.
Upper flammable limit (% vol)	Not applicable.
Lower flammable limit (% vol)	No Data.
Partition coefficient — n-octanol/water	No Data.
VOC	Non volatile.

SECTION 10: STABILITY AND REACTIVITY

Chemical stability	Stable at normal temperatures and pressures.
Reactivity	Avoid heat, sparks and flames.
Possibility of hazardous reactions	Will not occur under normal temperature and pressure.
Conditions to avoid, including static	Keep away from heat. Incompatible with strong oxidizers. Water.
discharge, shock or vibration	
Hazardous decomposition products	Oxides of carbon (CO CO2) Hydrocarbons, Oxides of nitrogen

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS		LC50	LD50			
Glass, oxide, chemicals		No data	No data			
Polyethylene Terephthalate (PET)		Not available	Not available			
	Route of exposure Effects of acute exposure Effects of chronic exposure	. Dust may irritate the eyes. Inhalation may cause respiratory tract irritation.				
	5 ,	IARC determined that the data from both human and animal studies was inadequate to classify continuous filament glass fibers as carcinogenic to humans.				
Reproductive effects No data on reprodu			tive effects were found in the literature sources consulted.			

PRODUCT: PF17920 NYLON REINFORCING TAPE

SECTION 12: ECOLOGICAL INFORMATION

Environmental..... Not expected to be harmful. Persistence and degradability..... Product data not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal. and methods of disposal, including any contaminated packaging

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

SECTION 14: TRANSPORT INFORMATION

TDG Classification..... Not regulated. DOT Classification (Road)..... Not regulated. IATA Classification (Air)..... Not regulated. IMDG Classification (Marine)..... Marine Pollutant.... Not regulated.

Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July

2, 2014) - we certify that classification of this product is correct. .

SECTION 15: REGULATORY INFORMATION

This is an article and not subject to the DSL.

TSCA inventory status..... All components are either listed or exempt from the TSCA. .

OSHA..... This product is not hazardous.

SARA Title III

Section 302 - extremely hazardous None.

substances

Section 311/312 - hazard categories...... This product is not hazardous.

Section 313.....

California Proposition 65.....

None.

This product does not contain any chemical(s) known to the State of California to cause For more information, go to www.P65Warnings.ca.gov. cancer or reproductive toxicity. This substance is not classified hazardous according to the EPA Hazardous Substances (NZ) Statement.....

(Classification) Notice 2017.

SECTION 16: OTHER INFORMATION

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. Prepared by:

Telephone number:..... (800) 387-7981.

DISCLAIMER: All information appearing herein is based upon data obtained from Disclaimer:..... experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

Date of the latest revision of the safety ...

data sheet

2020-02-28

