

Safety Data Sheet dated 29/9/2016, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: 9.BFQUARZ/8 - 9.BFQUARZ250/6 - 9.BFQUARZ150/6

Trade code: QUARZ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Abrasive compound for bodywork

Professional use only

Uses advised against:

All not indicated in the suggested uses.

1.3. Details of the supplier of the safety data sheet

Company:

RUPES SPA - Via Marconi 3A, 20080, Vermezzo (MI) - Italy

RUPES SPA - Telefono n°+3902946941

Importer:

Wyatt Machine Tools (Rupes) NZ Limited

388 Church Street, Penrose, Auckland

Ph (09) 525 1000; Fax (09) 525 1009

Competent person responsible for the safety data sheet:

info_rupes@rupes.it

1.4. Emergency telephone number

NZ Emergency 0800 992 881 (0800WYATT1)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

P102 Keep out of reach of children.

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

QUARZ/1

Page n. 1 of 10



2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
>= 15% -	Hydrocarbons,	EC:	920-114-2	3.10/1 Asp. Tox. 1 H304
< 20%	C14-C19, isoalkanes,	REACH No.:	01-21194593	3.10/1 A3p. 10x. 111304
	cyclics, <2% aromatics		47-30	
>= 3% -	1-methoxy-2-propanol;	Index	603-064-00-3	2.6/3 Flam. Liq. 3 H226
< 5%	monopropylene glycol	number:		A
	methyl ether	CAS:	107-98-2	◆ 3.8/3 STOT SE 3 H336
	-	EC:	203-539-1	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

QUARZ/1

Page n. 2 of 10



Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhaltion of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep container closed when not in use. Keep only in the original container in a cool, well ventilated place away from: direct sunlight, heat and ignition sources

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

QUARZ/1



7.3. Specific end use(s)

Abrasive compound for bodywork

Professional use only

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

- OEL Type: EU - LTE(8h): 375 mg/m3, 100 ppm - STE: 563 mg/m3, 150 ppm

- OEL Type: ACGIH - LTE(8h): 50 ppm - STE: 100 ppm

DNEL Exposure Limit Values

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Consumer: 3.3 mg/kg bw/day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

Consumer: 18.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic

effects

Worker Professional: 50.6 mg/kg bw/day - Exposure: Human Dermal - Frequency:

Long Term, systemic effects

Consumer: 43.9 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

Worker Professional: 369 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, systemic effects

PNEC Exposure Limit Values

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Target: STP - Value: 100 mg/l Target: gro - Value: 2.47 mg/kg

Target: Freshwater sediments - Value: 41.6 mg/kg Target: Marine water sediments - Value: 4.17 mg/kg

Target: Fresh Water - Value: 10 mg/l

8.2. Exposure controls

Eye protection:

Wear eye/face protection

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

In case of inadequate ventilation wear respiratory protection

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

QUARZ/1



9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	White pasty		
Odour:	characteristic		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	100-330 ° C		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	0.98-0.99 g/cm3		
Solubility in water:	partially miscible		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	N.A.		
Auto-ignition temperature:	N.A.		the product is not self-igniting
Decomposition temperature:	N.A.		
Viscosity:	20.5 mm2/s		kinematic viscosity at 40°C
Explosive properties:	N.A.		the product does not present an explosion hazard
Oxidizing properties:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

SECTION 10: Stability and reactivity



10.1. Reactivity

No dangerous reactions known

10.2. Chemical stability

stable under normal conditions

10.3. Possibility of hazardous reactions

No dangerous reactions known

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures

10.5. Incompatible materials strong oxidizing agents

10.6. Hazardous decomposition products None.

none.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5266 mg/l - Duration: 4h

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: LCO - Route: Inhalation - Species: Rat > 7000 ppm - Duration: 6h

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity:
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- i) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

QUARZ/1



Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics a) Aquatic acute toxicity: Endpoint: ELO 48H - Species: Daphnia = 1000 mg/l - Duration h: 48 Endpoint: ErLO 72h - Species: Pseudokirchneriella subcapitata = 1000 mg/l - Duration Endpoint: LLO 96H - Species: Algae = 87556 mg/l - Duration h: 96 Endpoint: NOELR 72 h - Species: Algae = 1000 mg/l - Duration h: 72 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Pseudokirchneriella subcapitata > 1000 mg/l - Notes: (7d) Endpoint: EC50 - Species: Bel > 1000 mg/l - Duration h: 3 - Notes: OECD 209 Endpoint: EC50 - Species: Leuciscus idus > 6800 mg/l - Duration h: 96 - Notes: DIN3412 Endpoint: LC50 - Species: Daphnia > 23300 mg/l - Duration h: 48 12.2. Persistence and degradability Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics Biodegradability: Persistent and Biodegradable - Test: CO2 production - Duration h: 28d - %: 17.7 - Notes: N.A. 12.3. Bioaccumulative potential 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 Bioaccumulative - Test: Kow - Partition coefficient 0.43 - Duration h: N.A. - Notes: 25°C 12.4. Mobility in soil N.A. 12.5. Results of PBT and vPvB assessment

SECTION 13: Disposal considerations

12.6. Other adverse effects

None

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

vPvB Substances: None - PBT Substances: None

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

QUARZ/1

Page n. 7 of 10



14.6. Special precautions for user

N A

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

N.A

This substance is not classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H304 May be fatal if swallowed and enters airways.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

QUARZ/1

Page n. 8 of 10



This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.

QUARZ/1

Page n. 9 of 10

