

Page: 1 of 7 Printed: 01/28/2021

Revision: 05/01/2019

1. Product and Company Identification

Product Code: LFGBS430
Product Name: Clay Lubricant

Trade Name: RENEGADE PRODUCTS

Manufacturer Information:

Company Name: Maverick Abrasives

4340 E. Miraloma Ave Anaheim, CA 92807

Web site address: www.renegadeproductsusa.com
Email address: cs@renegadeproductsusa.com

Emergency Contact: INFOTRAC (800)535-5053

Contract #914-39

Supplier Name and Address:

Company Name: Wyatt Machine Tools Phone Number:

388 Church Street, Penrose (09) 525-1000

Auckland,

Web site address: www.wyatt.co.nz
Email address: info@wyatt.co.nz

Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881

(8 am - 4 pm) +48 (094)351-2394 112

Part Number: LFGBS430G01, LFGBS430G05, LFGBS430G55, LFGBS430OZ16

2. Hazards Identification

Flammable Liquids, Category 4

Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: H227 - Combustible liquid.

H335 - May cause respiratory irritation.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

GHS Storage and Disposal P403+235 - Store in cool/well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container to ...

OSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSDS

contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this

product.



Page: 2 of 7 Printed: 01/28/2021 Revision: 05/01/2019

Potential Health Effects (Acute and Chronic):

Hazards not otherwise classified (HNOC) or not covered by GHS. Hazards not otherwise

classified (HNOC) or not covered by GHS -none.

3. Composition/Information on Ingredients

	-		
CAS#	Hazardous Components (Chemical Name)	Concentration	
1569-02-4	1-Ethoxypropan-2-ol	< 0.5 %	
63148-62-9	Polydimethylsiloxane	1.0 -2.0 %	
7732-18-5	Water	90.0 -95.0 %	

4. First Aid Measures

Emergency and First Aid

Procedures:

dangerous area.

In Case of Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

Consult a physician.

In Case of Skin Contact:

Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact:

In Case of Ingestion:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician.

Signs and Symptoms Of

The most important known symptoms and effects are described in the labelling (see

Exposure:

section 2.2) and/or in section 11

Indication of any immediate medical attention and special

treatment needed:

5. Fire Fighting Measures

Flash Pt: > 57.00 C (134.6 F) Method Used: Estimate
Explosive Limits: LEL: No data. UEL: No data.

No data available.

Autoignition Pt: 400.00 C (752.0 F)

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.

Further information: No data available.

Flammable Properties and

Hazards:

Carbon oxides, Carbon oxides.

Hazardous Combustion

Products:

No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can

accumulate in low areas. For personal protection see section 8.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Steps To Be Taken In Case
Material Is Released Or

Spilled:

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Soak up with inert absorbent material and dispose of as hazardous waste.

Keep in suitable, closed containers for disposal.



Page: 3 of 7

Printed: 01/28/2021 Revision: 05/01/2019

7. Handling and Storage

Precautions To Be Taken in Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent

the build up of electrostatic charge. For precautions see section 2.

Precautions To Be Taken in

Storing:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and

store under inert gas. Hygroscopic.

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. Other Precautions:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1569-02-4	1-Ethoxypropan-2-ol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
63148-62-9	Polydimethylsiloxane	No data.	No data.	No data.
7732-18-5	Water	No data.	No data.	No data.

Personal Protective **Equipment Symbols:**





Respiratory Equipment

(Specify Type):

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection:

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses with side-shields conforming to EN166.

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: Nitrile rubber, Minimum layer thickness: 0.4 mm, Break through time: 480 min.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Other Protective Clothing:

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Work/Hygienic/Maintenance Practices:

before breaks and at the end of workday.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Environmental Exposure Controls:

Discharge into the environment must be avoided.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 4 of 7 : 01/28/2021

Printed: 01/28/2021 Revision: 05/01/2019

			Tana		D		
y Pn	veica	I and C	.nemi	cal	Pror	METTIE	3
O . 1 11	yorda	i ullu c		Juli			_

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Liquid.

Black Ice-Men's Cologne like.

pH: 7

Melting Point: -89.50 C (-129.1 F) - 129.10 C (264.4 F) **Boiling Point:** 82.00 C (179.6 F) - 140.00 C (284.0 F)

Flash Pt: > 57.00 C (134.6 F) Method Used: Estimate

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

No data.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = 1): .991

Density: 8.302 LB/GA at 77.0 F (25.0 C)

Solubility in Water: 100%
Octanol/Water Partition No data.

Coefficient:

Percent Volatile: ~ 2 % by weight.

Autoignition Pt: 400.00 C (752.0 F)

Decomposition Temperature: No data. **Viscosity:** No data.

10. Stability and Reactivity

Reactivity: No data available.

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Instability:

Heat, flames and sparks. Extremes of temperature and direct sunlight. No data available.

Incompatibility - Materials To Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids. acids,

Avoid: Bases.

Hazardous Decomposition or Other decomposition products: No data available. In the event of fire: see section 5.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Vapors may form explosive mixture with air. No data available.

Hazardous Reactions:



Page: 5 of 7

Printed: 01/28/2021 Revision: 05/01/2019

11. Toxicological Information

Toxicological Information: Germ cell mutagenicity: No data available.

Reproductive toxicity. Aspiration hazard: Acute toxicity: no data available.

Inhalation: Dermal.

Irritation or Corrosion: Skin corrosion/irritation. Provide adequate ventilation.

> Result: Tumorigenic:Tumors at site or application. Mild eye irritation Serious eye damage/eye irritation Eyes -rabbit. Serious eye damage/eye irritation: Eyes - rabbit -

Mild skin irritation -24 Eyes: Rabbit.

No data available. Sensitization:

Chronic Toxicological

Specific target organ toxicity - single exposure: Inhalation. Oral. May cause drowsiness

Effects: or dizziness.

Specific target organ toxicity - repeated exposure: Specific target organ toxicity -single

exposure (Globally Harmonized System) No data available.

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other

This product is or contains a component that is not classifiable as to its carcinogenicity Information:

based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 -Group 3: Not classifiable as to its carcinogenicity to humans. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. IARC: No component of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1569-02-4	1-Ethoxypropan-2-ol	n.a.	n.a.	n.a.	n.a.
63148-62-9	Polydimethylsiloxane	n.a.	n.a.	n.a.	n.a.
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological

Information:

No data available.

Results of PBT and vPvB

PBT/vPvB assessment not available as chemical safety assessment not required/not

assessment:

conducted.

Persistence and

No data available.

Degradability:

No data available. Bioaccumulative Potential: **Mobility in Soil:** No data available.

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal.

Toxic to aquatic life.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 6 of 7
Printed: 01/28/2021
Revision: 05/01/2019

13. Disposal Considerations

Waste Disposal Method:

Dispose of contents/container to ... The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:

DOT Hazard Class: UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1569-02-4	1-Ethoxypropan-2-ol	No	No	No
63148-62-9	Polydimethylsiloxane	No	No	No
7732-18-5	Water	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[] Yes [X] No	Explosive	[] Yes [X] No	Acute toxicity (any route of exposure)
[X] Yes [] No	Flammable (gases, aerosols, liquid, or solid)	[] Yes [X] No	Skin Corrosion or Irritation
[] Yes [X] No	Oxidizer (liquid, solid or gas)	[] Yes [X] No	Serious eye damage or eye irritation
[] Yes [X] No	Self-reactive	[] Yes [X] No	Respiratory or Skin Sensitization
[] Yes [X] No	Pyrophoric (liquid or solid)	[] Yes [X] No	Germ cell mutagenicity
[] Yes [X] No	Pyrophoric gas	[] Yes [X] No	Carcinogenicity
[] Yes [X] No	Self-heating	[] Yes [X] No	Reproductive toxicity
[] Yes [X] No	Organic peroxide	[X] Yes [] No	Specific target organ toxicity (single or repeated exposure
[] Yes [X] No	Corrosive to metal	[] Yes [X] No	Aspiration Hazard
[] Yes [X] No	Gas under pressure (compressed gas)	[] Yes [X] No	Simple Asphyxiant
[] Yes [X] No	In contact with water emits flammable gas	[] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[] Yes [X] No	Combustible Dust		
[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		
		1	

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1569-02-4	1-Ethoxypropan-2-ol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No
63148-62-9	Polydimethylsiloxane	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No



Page: 7 of 7 Printed: 01/28/2021

Revision: 05/01/2019

the EPA Hazardous Substances (Classification) Notice 2017 (NZ) HSNO Classifications:................................ 3.1D, 6.1E, 6.9B

(NZ) HSNO Group Standard:..... Cleaning Products Subsidiary HSR002530.

16. Other Information

Revision Date: 05/01/2019

Hazard Rating System:

HEALTH 1
FLAMMABILITY 0
PHYSICAL 0
PPE B

HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.