

Page: 1 of 8

Printed: 08/13/2020 Revision: 08/13/2020

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: CBSG16

Product Name: Green Rouge G-16 Polishing Bar

Trade Name: MAVERICK ABRASIVES

Manufacturer Information:

Company Name: Maverick Abrasives Phone Number:

4340 E. Miraloma Ave Office (714)854-9531

Anaheim, CA 92087

Web site address: www.maverickabrasives.com

Emergency Contact: INFOTRAC - 24 Hr. Emergency (800)535-5053

**Information:** Contract #914-39

Supplier Name and Address:

Company Name: Wyatt Machine Tools Phone Number:

388 Church Street, Penrose (09 )525-1000

Auckland,

Web site address: www.wyatt.co.nz
Email address: info@wyatt.co.nz

Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ( )992-881

(8 am - 4 pm) +48 (094)351-2394 112

### 2. HAZARDS IDENTIFICATION

Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (repeated exposure), Category 1





GHS Signal Word: Danger

**GHS Hazard Phrases:** H336 - May cause drowsiness or dizziness.

H372 - Causes damage to organs - Lungs, Respiratory irritation. through prolonged or

repeated exposure.

GHS Precautionary Phrases: P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

GHS Response Phrases: P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P314 - Get medical attention/advice if you feel unwell.

GHS Storage and Disposal P

P403+233 - Store container tightly closed in well-ventilated place.

**Phrases:** P405 - Store locked up.

P501 - Dispose of contents/container to ...

**OSHA Regulatory Status:** This material is classified as not hazardous under OSHA regulations.



Page: 2 of 8 ed: 08/13/2020

Printed: 08/13/2020 Revision: 08/13/2020

Potential Health Effects

Hazards not otherwise classified (HNOC) or not covered by GHS -none.

(Acute and Chronic):

**Inhalation:** May cause respiratory tract irritation. The toxicological properties of this substance have

not been fully investigated. Aspiration may lead to pulmonary edema.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

**Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The

toxicological properties of this substance have not been fully investigated. Aspiration of

material into the lungs may cause chemical pneumonitis, which may be fatal.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
1344-28-1	Aluminum oxide	45.0 -65.0 %
57-11-4	Stearic acid	5.0 -7.0 %
7727-43-7	Barium sulfate	15.0 -20.0 %
61789-97-7	Tallow	2.0 -4.0 %

### 4. FIRST AID MEASURES

**Emergency and First Aid** 

Procedures:

Move out of dangerous area. Consult a physician. Show this safety data sheet to the

doctor in attendance.

**In Case of Inhalation:** If breathed in, move person into fresh air. Consult a physician. Remove from exposure

and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear. Do NOT use mouth-to-mouth resuscitation. Possible

aspiration hazard.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician. Flush skin with plenty of

water for at least 15 minutes while removing contaminated clothing and shoes. Get

medical aid if irritation develops or persists. Wash clothing before reuse.

In Case of Eye Contact: Flush eyes with water as a precaution. Flush eyes with plenty of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

minutes, obtaining the apper and lower cyclids. Get medical did.

Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician. Get medical aid. If conscious and alert, rinse mouth and drink 2-4

cupfuls of milk or water.

No data available.

Signs and Symptoms Of

In Case of Ingestion:

**Exposure:** 

The most important known symptoms and effects are described in the labelling (see

section 2.2) and/or in section 11

Indication of any immediate

medical attention and special

treatment needed:

**Note to Physician:** Treat symptomatically and supportively.



Page: 3 of 8 inted: 08/13/2020

Printed: 08/13/2020 Revision: 08/13/2020

#### 5. FIRE FIGHTING MEASURES

Flash Pt: No data. Method Used: Estimate

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Use water spray, dry chemical, carbon dioxide, or

alcohol-resistant foam. Use agent most appropriate to extinguish fire.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.

Further information: Do not use halocarbon extinguishers. No data available. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic

gases may be generated by thermal decomposition or combustion.

Flammable Properties and

Hazards:

Aluminum oxide.

**Hazardous Combustion** 

**Products:** 

No data available.

### 6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8. Use personal protective equipment.

**Environmental Precautions:** 

No special environmental precautions required. Do not let product enter drains.

Steps To Be Taken In Case Material Is Released Or Spilled: Sweep up and shovel. Keep in suitable, closed containers for disposal. Pick up and arrange disposal without creating dust. Use proper personal protective equipment as

indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to

in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective

Equipment section. Remove all sources of ignition. Provide ventilation.

#### 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Wash thoroughly after handling. Use with adequate ventilation. Avoid prolonged or

repeated contact with skin. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Keep away from heat, sparks and flame. Avoid ingestion and inhalation.

Precautions To Be Taken in

Storing:

Keep container tightly closed in a dry and well-ventilated place. strongly hygroscopic.

Recommended storage temperature: 2 -8 - 8 deg.C.

Storage class 510) Non Combustible. Store in a tightly closed container. Store in a cool,

dry, well-ventilated area away from incompatible substances.

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS # Partial Chemical Name (		OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
57-11-4	Stearic acid	No data.	No data.	No data.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format



Page: 4 of 8

Printed: 08/13/2020 Revision: 08/13/2020

7727-43-7	Barium sulfate		TLV: 5 mg/m3 (dust/no asbestos)	No data.
61789-97-7	Tallow	No data.	No data.	No data.

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations	
1344-28-1	Aluminum oxide	Ontario, CA	TWA: 1 ppm (Inhalable aerosol)		
		Québec, CA	TWA: 10 mg/m3		
		Mexico OEL	TWA: 10 mg/m3 () STEL: ()		
7727-43-7	Barium sulfate	California, USA PELs	TWA: 10 (dust), 5 (resp.) mg/m3		
		Ontario, CA	TWA: 10 mg/m3		
		Québec, CA	TWA: 5 / 10		
		Mexico OEL	TWA: 0.5 mg/m3 () STEL: ()		
		NIOSH	TWA: 10 (dust), 5 (resp.) mg/m3		

Personal Protective Equipment Symbols:









Respiratory Equipment (Specify Type):

Wear respiratory protection.

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use

whenever workplace conditions warrant respirator use.

**Eye Protection:** Use equipment for eye protection tested and approved under appropriate government

standards such as NIOSH (US) or EN 166(EU). Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations

in 29 CFR 1910.133 or European Standard EN166.

**Protective Gloves:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands. Full contact.

Material: Nitrile rubber, Minimum layer thickness: 0.11 mm, Break through time: 480 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. Wear appropriate protective gloves

to prevent skin exposure.

**Other Protective Clothing:** Choose body protection in relation to its type, to the concentration and amount of

dangerous substances, and to the specific work-place. The type of protective equipment

must be selected according to the concentration and amount of the dangerous

substance at the specific workplace. Wear appropriate protective clothing to prevent skin

exposure.

Engineering Controls

(Ventilation etc.):

General industrial hygiene practice. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower. Use adequate ventilation to keep airborne concentrations low.

**Environmental Exposure** 

Controls:

No special environmental precautions required. Do not let product enter drains.



Page: 5 of 8

Printed: 08/13/2020 Revision: 08/13/2020

		Revision. 00/13/2020
9.	PHYSICAL AND CHEMICAL PROPERTIES	
Physical States:	[ ] Gas [ ] Liquid [ X ] Solid	
Appearance and Odor:	solid.	
	Appearance: green.	
oH:	No data.	
Melting Point:	2.00 C (35.6 F) - 72.00 C (161.6 F)	
Boiling Point:	2.00 C (35.6 F) - 392.00 C (737.6 F)	
Flash Pt:	No data. Method Used: Estimate	
Evaporation Rate:	No data.	
Flammability (solid, gas):	No data available.	
Explosive Limits:	LEL: No data. UEL: No data.	
Vapor Pressure (vs. Air or	No data.	
mm Hg):		
Vapor Density (vs. Air = 1):	No data.	
Specific Gravity (Water = 1):	No data.	
Density:	~ 3.751 G/CM3	
Solubility in Water:	No data.	
Octanol/Water Partition	No data.	
Coefficient:		
Autoignition Pt:	No data.	
Decomposition Temperature:		
Viscosity:	NA	
	10. STABILITY AND REACTIVITY	
Reactivity:	No data available.	
Stability:	Unstable [ ] Stable [ X ]	
Conditions To Avoid - Instability:	Exposure to moisture. No data available. Incompatible materials, ignit	ion sources.
	Strong acids, Strong bases, chlorine trifluoride, ethylene oxide, haloge	
Avaid.	budraarhana Ovugan diffuarida aadium nitrata Vinul aamnaunda D	aaaa Ovidisiaa

Avoid:

hydrocarbons, Oxygen difluoride, sodium nitrate, Vinyl compounds. Bases, Oxidizing

agents, Reducing agents.

Hazardous Decomposition or No data available. In the event of fire: see section 5. Carbon monoxide, irritating and

Byproducts:

toxic fumes and gases.

Possibility of Hazardous

Will occur [ ] Will not occur [ X ]

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:



Page: 6 of 8

Printed: 08/13/2020 Revision: 08/13/2020

### 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** Acute toxicity.

Germ cell mutagenicity: No data available.

Reproductive toxicity. Aspiration hazard: Epidemiology: Epidemiological studies involving petroleum refinery workers indicate persons with routine exposure to petroleum or one of its constituents may be at an increased risk to the development of benign neoplasms,

digestive tract cancer, and skin cancer.

Teratogenicity: No information available. Reproductive Effects: No information found.

Mutagenicity: Neurotoxicity:

Irritation or Corrosion: Skin corrosion/irritation.

Result: Tumorigenic:Tumors at site or application. No skin irritation . (OECD Test

Guideline 404) Serious eye damage/eye irritation Eyes -Rabbit)

No eye irritation. No skin irritation 24. Serious eye damage/eye irritation: Eyes: Rabbit.

Sensitization: Maximisation Test. Species: Guinea pig. Result: Tumorigenic:Tumors at site or

application. No data available.

Chronic Toxicological

Effects:

Specific target organ toxicity -single exposure (Globally Harmonized System) No data

available.

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other Information:

This product is or contains a component that is not classifiable as to its carcinogenicity

based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Carcinogenicity. Mouse. Implant. Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Kidney, Ureter,

Bladder: Tumors.

CAS# 64742-65-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1344-28-1	Aluminum oxide	n.a.	n.a.	A4	n.a.
57-11-4	Stearic acid	n.a.	n.a.	n.a.	n.a.
7727-43-7	Barium sulfate	n.a.	n.a.	n.a.	n.a.
61789-97-7	Tallow	n.a.	n.a.	n.a.	n.a.

#### 12. ECOLOGICAL INFORMATION

General Ecological

Information:

No toxicity at the limit of solubility. No data available.

Results of PBT and vPvB

PBT/vPvB assessment not available as chemical safety assessment not required/not

assessment:

Persistence and

The methods for determining biodegradability are not applicable to inorganic substances.

No data available. Degradability:

Does not bioaccumulate. No data available. **Bioaccumulative Potential:** 

**Mobility in Soil:** No data available. Other adverse effects: No data available.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format



Page: 7 of 8 d: 08/13/2020

Printed: 08/13/2020 Revision: 08/13/2020

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Contaminated packaging: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste

generators must consult state and local hazardous waste regulations to ensure complete

and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

### 14. TRANSPORT INFORMATION

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated as a hazardous material as per 49 CFR 173.150.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

**TDG Shipping Name:** No information available.

#### 15. REGULATORY INFORMATION

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1344-28-1	Aluminum oxide	No	No	Yes
57-11-4	Stearic acid	No	No	No
7727-43-7	Barium sulfate	No	No	Yes-Cat. N040
61789-97-7	Tallow	No	No	No

#### This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[ ] Yes [X] No	Explosive	[ ] Yes [X] No	Acute toxicity (any route of exposure)
[ ] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[ ] Yes [X] No	Skin Corrosion or Irritation
[ ] Yes [X] No	Oxidizer (liquid, solid or gas)	[ ] Yes [X] No	Serious eye damage or eye irritation
[ ] Yes [X] No	Self-reactive	[ ] Yes [X] No	Respiratory or Skin Sensitization
[ ] Yes [X] No	Pyrophoric (liquid or solid)	[ ] Yes [X] No	Germ cell mutagenicity
[ ] Yes [X] No	Pyrophoric gas	[ ] Yes [X] No	Carcinogenicity
[ ] Yes [X] No	Self-heating	[ ] Yes [X] No	Reproductive toxicity
[ ] Yes [X] No	Organic peroxide	[X] Yes [ ] No	Specific target organ toxicity (single or repeated exposure)
[ ] Yes [X] No	Corrosive to metal	[ ] Yes [X] No	Aspiration Hazard
[ ] Yes [X] No	Gas under pressure (compressed gas)	[ ] Yes [X] No	Simple Asphyxiant
[ ] Yes [X] No	In contact with water emits flammable gas	[ ] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[ ] Yes [X] No	Combustible Dust		
[ ] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1344-28-1	Aluminum oxide	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No
57-11-4	Stearic acid	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No
7727-43-7	Barium sulfate	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No
61789-97-7	Tallow	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No



Page: 8 of 8 Printed: 08/13/2020 Revision: 08/13/2020

the EPA Hazardous Substances (Classification) Notice 2017 (NZ) HSNO Classifications:................ 6.4A, 6.3B, 6.9B, 6.1E, 3.10

(NZ) HSNO Group Standard:..... Cleaning Products Flammable HSR002528.

# **16. OTHER INFORMATION**

**Revision Date:** 08/13/2020

**Hazard Rating System:** 

HEALTH 0
FLAMMABILITY 0
PHYSICAL 0
PPE F

HMIS:

Additional Information About No data available.

This Product:

**Company Policy or** 

Disclaimer:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.