

1. Product and Company Identification

Product Code: LFGRPCLRPD12
Product Name: Rebel Pipe Dream
Trade Name: RENEGADE PRODUCTS

Manufacturer Information:
Company Name: Maverick Abrasives
4340 E. Miraloma Ave
Anaheim, CA 92807

Web site address: www.renegadeproductsusa.com
Email address: cs@renegadeproductsusa.com
Emergency Contact: INFOTRAC (800)535-5053
Contract #914-39

Supplier Name and Address:
Company Name: Wyatt Machine Tools **Phone Number:**
388 Church Street, Penrose (09)525-1000
Auckland,

Web site address: www.wyatt.co.nz
Email address: info@wyatt.co.nz
Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881
(8 am - 4 pm) +48 (094)351-2394 112

2. Hazards Identification

Aspiration Toxicity, Category 2
Flammable Liquids, Category 4
Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2B



GHS Signal Word: **Warning**

GHS Hazard Phrases: H227 - Combustible liquid.
H305 - May be harmful if swallowed and enters airways.
H316 - Causes mild skin irritation.
H320 - Causes eye irritation.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 - Do NOT induce vomiting.
P332+313 - If skin irritation occurs, get medical advice/attention.
P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: P403+235 - Store in cool/well-ventilated place.
P405 - Store locked up.
P501 - Dispose of contents/container to ...

OSHA Regulatory Status:	While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Potential Health Effects (Acute and Chronic):	Hazards not otherwise classified (HNOC) or not covered by GHS -none.
Inhalation:	May be harmful if inhaled.
Skin Contact:	Harmful if absorbed through the skin. Causes skin irritation.
Eye Contact:	Causes eye irritation.
Ingestion:	Harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
1302-76-7	Aluminum silicate	2.5 -5.0 %	
63148-62-9	Polydimethylsiloxane	< 2.0 %	
64742-47-8	Hydrotreated light distillate (petroleum)	10.0 -15.0 %	
8015-86-9	Carnauba wax	< 1.75 %	
6440-58-0	Preservative	< 0.2 %	

4. First Aid Measures

Emergency and First Aid Procedures:	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
In Case of Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In Case of Skin Contact:	Wash off with soap and plenty of water. Consult a physician. Take victim immediately to hospital.
In Case of Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Flush eyes with water as a precaution.
In Case of Ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Do NOT induce vomiting.
Signs and Symptoms Of Exposure:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Nausea, Dizziness. Headache. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Indication of any immediate medical attention and special treatment needed:	No data available.
Note to Physician:	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

5. Fire Fighting Measures

Flash Pt: > 37.00 C (98.6 F) Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: > 230.00 C (446.0 F)

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.
Further information: No data available.

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. For personal protection see section 8. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Steps To Be Taken In Case Material Is Released Or Spilled: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Personal precautions.
Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions.
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Sweep up and shovel.

7. Handling and Storage

Precautions To Be Taken in Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1302-76-7	Aluminum silicate	No data.	No data.	No data.
63148-62-9	Polydimethylsiloxane	No data.	No data.	No data.

64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.
8015-86-9	Carnauba wax	No data.	No data.	No data.
6440-58-0	Preservative	No data.	No data.	No data.

Personal Protective

Equipment Symbols:

Respiratory Equipment (Specify Type):

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Wear respiratory protection. Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks.

Eye Protection:

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Protective Gloves:

Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands. Full contact. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Other Protective Clothing:

Impervious clothing. Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. General industrial hygiene practice.

Work/Hygienic/Maintenance Practices:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Environmental Exposure Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Grayish. spicy odor.
pH:	5
Melting Point:	-55.00 C (-67.0 F) - -48.99 C (-56.2 F)
Boiling Point:	140.00 C (284.0 F) - 245.00 C (473.0 F)
Flash Pt:	> 37.00 C (98.6 F) Method Used: Estimate
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.

Specific Gravity (Water = 1): No data.
Density: ~ 0.860 G/CM3
Solubility in Water: No data.
Octanol/Water Partition Coefficient: No data.
Autoignition Pt: > 230.00 C (446.0 F)
Decomposition Temperature: No data.
Viscosity: 20,000 cP

10. Stability and Reactivity

Reactivity: No data available.
Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available. Heat, flames and sparks.
Incompatibility - Materials To Avoid: None.
Hazardous Decomposition or Byproducts: No data available. In the event of fire: see section 5. formed under fire conditions.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

Toxicological Information: Acute toxicity: no data available.
 Inhalation: No data available. Dermal. Germ cell mutagenicity:
 Aspiration hazard: Respiratory or skin sensitization: Teratogenicity: No data available.
 Specific target organ toxicity -single exposure (Globally Harmonized System) Specific target organ toxicity - repeated exposure (Globally Harmonized System)
 Acute toxicity.
 Result: negative.

Irritation or Corrosion: Skin corrosion/irritation.
 Result: Tumorigenic:Tumors at site or application. Mild skin irritation -24 Eyes: Rabbit.
 No data available.
 No skin irritation -4. Serious eye damage/eye irritation: no data available.

Sensitization: No data available. Standard Draize Test. Species: Guinea pig. Result:
 Tumorigenic:Tumors at site or application.

Chronic Toxicological Effects: Specific target organ toxicity -single exposure (Globally Harmonized System) No data available.
 Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other Information: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information: No data available.

Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life. No data available.

13. Disposal Considerations

Waste Disposal Method: Product:
Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging: Contact a licensed professional waste disposal service to dispose of this material.

Dispose of as unused product. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:
DOT Hazard Class:
UN/NA Number:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Flammable liquids, n.o.s. **Packing Group:**

UN Number:

Hazard Class:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1302-76-7	Aluminum silicate	No	No	No
63148-62-9	Polydimethylsiloxane	No	No	No
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No
8015-86-9	Carnauba wax	No	No	No
6440-58-0	Preservative	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Explosive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Acute toxicity (any route of exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Reproductive toxicity

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Organic peroxide	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Corrosive to metal	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Combustible Dust	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Physical) Hazard Not Otherwise Classified (HNOC)	

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1302-76-7	Aluminum silicate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No
63148-62-9	Polydimethylsiloxane	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No
64742-47-8	Hydrotreated light distillate (petroleum)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
8015-86-9	Carnauba wax	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
6440-58-0	Preservative	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No

Regulatory Information: (NZ) Statement:..... This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017
 (NZ) HSNO Classifications:..... 6.1E, 3.1D, 6.3B, 6.4A
 (NZ) HSNO Group Standard:..... Cleaning Products Flammable HSR002528.

16. Other Information

Revision Date: 05/01/2019

Hazard Rating System:

HEALTH		1
FLAMMABILITY		1
REACTIVITY		0
PPE		

HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.