

contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	Product Name:       Rebel Spot Assassin Water Spot Remover         Trade Name:       RENEGADE PRODUCTS         Manufacturer Information:       Maverick Abrasives         Company Name:       Maverick Abrasives         4340 E. Miraloma Ave       Anaheim, CA 92807         Web site address:       cs@renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Company Name:       Wyatt Machine Tools       Phone Number:         Supplier Name and Address:       (99)525-1000         Auckland,       Web site address:       (09)525-1000         Auckland,       Web site address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz       (800) ()992-881         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 0992-881         (8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         LFGRPCLRWSR24, LFGRPCLRWSR1GAL         Barbon Signal Word:       Warning         GHS Signal Word:       Warning         GHS Precautionary Prases:       P306+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin i		1. Product and Company Ident	ification			
Trade Name:       RENEGADE PRODUCTS         Manufacturer Information:       Maverick Abrasives         Company Name:       Maverick Abrasives         4340 E. Miraloma Ave       Anaheim, CA 92807         Web site address:       cs@renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Contract #914-39       (800)535-5053         Supplier Name and Address:       Wyatt Machine Tools       Phone Number:         Company Name:       Wyatt Machine Tools       Phone Number:         388 Church Street, Penrose       (09) 525-1000         Auckland,       Auckland,       Auckland,         Web site address:       info@wyatt.co.nz       Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881         Emergency Contact:       124 hour NZ Emergency 0800WYATT1       0800 () 992-881       112         Part Number:       L FGRPCLRWSR24, LFGRPCLRWSR1GAL       Emergency Contact       2. Hazard's Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B       Serious Eye Causes eye irritation.         GHS Signal Word:       Warning       GHS Shazer Or Several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Phose Several minutes. Rem	Trade Name: RENEGADE PRODUCTS Manufacturer Information: Company Name: Maverick Abrasives 4340 E. Miraloma Ave Anaheim, CA 92807 Web site address: cs@renegadeproductsusa.com Email address: cs@renegadeproductsusa.com Emergency Contact: INFOTRAC (800)535-5053 Contract #914-39 Supplier Name and Address: Company Name: Wyatt Machine Tools Phone Number: 388 Church Street, Penrose (09)525-1000 Auckland, Web site address: info@wyatt.co.nz Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881 (8 am - 4 pm) +48 (094)351-2394 112 Part Number: LFGRPCLRWSR24, LFGRPCLRWSR1GAL EFGRPCLRWSR24, LFGRPCLRWSR16AL Skin Corrosion/Irritation, Category 2B GHS Signal Word: Warning GHS Precautionary Phrases: P205+451+338 - IF IN EYES: Rines cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation persists, get medical advice/attention. P337+313 - If skin irritation critical to the safe handling and proper use of the pro This MSDS should be retained and available for employees and other users of this	Product Code:	LFGRPCLRWSR				
Manufacturer Information:       Maverick Abrasives 4340 E. Miraloma Ave Anaheim, CA 92807         Web site address:       www.renegadeproductsusa.com         Email address:       cs@penegadeproductsusa.com         Email address:       cs@penegadeproductsusa.com         Emergency Contact:       INFOTRAC Contract #914-39       (800)535-5053 Contract #914-39         Supplier Name and Address:       Wyatt Machine Tools       Phone Number: 388 Church Street, Penrose (09) 525-1000 Auckland,         Web site address:       info@wyatt.co.nz       Email address:         Email address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881 (B an - 4 pm)         Yeart Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         Vacards Identification       2, Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Response Phrases:       P305+331-338 · IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 · If Skin irritation persists, get medical advice/attention. P337+313 · If Skin irritation persists, get medical advice/attention. P337+313 · If Skin irritation persists, get medical advice/attenti	Manufacturer Information:       Maverick Abrasives 4340 E. Miraloma Ave 4340 E. Miraloma Ave Anaheim, CA 92807         Web site address:       www.renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC Contract #914-39       (800)535-5053 Contract #914-39         Supplier Name and Address:       Wyatt Machine Tools       Phone Number: 386 Church Street, Penrose (09)525-1000 Auckland,         Web site address:       info@wyatt.co.nz       Email address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz       Emergency Contact:       24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)       9800 (1)992-881 +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       2. Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning GHS Precautionary Phrases:       P305+331+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation persists, get medical advice/attention. P337+313 - If skin irritation persists, get medical advice/attention. P337+313 - If skin irritation persists, get medical advice/attention. P337+313 - If skin irritation oritical to the safe handling and proper use of the pro This MSDS should be retained and available for employees and other users of this	Product Name:	Rebel Spot Assassin Water Spot Remover				
Company Name:       Maverick Abrasives 4340 E. Miraloma Ave Anaheim, CA 92807         Web site address:       www.renegadeproductsusa.com         Email address:       cs@nenegadeproductsusa.com         Email address:       cs@nenegadeproductsusa.com         Emergency Contact:       INFOTRAC Contract #914-39       (800)535-5053         Supplier Name and Address:       Contract #914-39       (800)535-5003         Company Name:       Wyatt Machine Tools Sa8 Church Street, Penrose Auckland,       Phone Number: 388 Church Street, Penrose Auckland,         Web site address:       info@wyatt.co.nz       Emergency Contact:       24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)       9800 () 992-881 (8 am - 4 pm)         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       2.       Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning GHS Precautionary Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       No phrases apply.         SHA Regulatory Status:       While this	Company Name:       Maverick Abrasives 4340 E. Miraloma Ave Anaheim, CA 92807         Web site address:       www.renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC Contract #914-39         Supplier Name and Address:       Contract #914-39         Company Name:       Wyatt Machine Tools Sa8 Church Street, Penrose Auckland,       Phone Number: 388 Church Street, Penrose Auckland,         Web site address:       www.wyatt.co.nz       Emergency Contact:       24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)       0800 () 992-881 (8 am - 4 pm)         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       2. Hazards Identification         Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2B       Serious Eye Damage/Eye Irritation, Category 2B         GHS Negone Phrases:       P305-351+338 - IF IN EVES; Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation persists, get medical advice/attention. P337+313 - If skin irritation persists, get medical advice/at	Frade Name:	RENEGADE PRODUCTS				
4340 E. Miraloma Ave Anaheim, CA 92807         Web site address:       www.renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Contract #914-39       Supplier Name and Address:       Contract #914-39         Company Name:       Wyatt Machine Tools       Phone Number: 388 Church Street, Penrose       (09)525-1000         Auckland,       Web site address:       www.wyatt.co.nz       Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 (1)992-881         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 (1)992-881       (8 am - 4 m)       +48 (094)351-2394       112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       Emergency Contact:       2. Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning       H316 - Causes mild skin irritation. H320 - Causes eye irritation.       H320 - Causes occurritation. H320 - Storage and Phrases:       P305+351+338 - IF IN EYES: Rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+3	4340 E. Miraloma Ave Anaheim, CA 92807         Web site address:       www.renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Contract #914-39       Supplier Name and Address:       Contract #914-39         Company Name:       Wyatt Machine Tools       Phone Number: 388 Church Street, Penrose       (99)525-1000         Auckland,       Web site address:       info@wyatt.co.nz       Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881       (8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       Emergency Contact:       2. Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B       Skin Corrosion/Irritation, Category 2B         GHS Signal Word:       Warning       GHS Causes eye irritation.       H320 - Causes eye irritation.         H320 - Causes eye irritation.       H320 - Causes eye irritation.       H320 - Sinso Cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         GHS Response Phrases:       P305-4351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.	Manufacturer Information:					
Anaheim, CA 92807 Web site address: www.renegadeproductsusa.com Email address: cs@renegadeproductsusa.com Emergency Contact: INFOTRAC (800)535-5053 Contract #914-39 Supplier Name and Address: Company Name: Wyatt Machine Tools Phone Number: 388 Church Street, Penrose (99)525-1000 Auckland, Web site address: www.wyatt.co.nz Email address: info@wyatt.co.nz Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 (992-881 (8 am - 4 pm) +48 (094)351-2394 112 Part Number: LFGRPCLRWSR24, LFGRPCLRWSR1GAL 2. Hazards Identification Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2B GHS Signal Word: Warning GHS Hazard Phrases: P305+351+338 . IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 . If skin irritation occurs, get medical advice/attention. P337+313 . If skin irritation occurs, get medical advice/attention. GHS Storage and Disposal No phrases apply. Phase: DSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling apoper use of the produc This MSDS should be retained and available for employees and other users of this	Anaheim, CA 92807 Web site address: www.renegadeproductsusa.com Email address: cs@renegadeproductsusa.com Emergency Contact: INFOTRAC (800)535-5053 Contract #914-39 Supplier Name and Address: Company Name: Wyatt Machine Tools Phone Number: 388 Church Street, Penrose (09)525-1000 Auckland, Web site address: www.wyatt.co.nz Email address: info@wyatt.co.nz Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881 (8 am - 4 pm) +48 (094)351-2394 112 Part Number: LFGRPCLRWSR24, LFGRPCLRWSR1GAL 2. Hazards Identification Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2B GHS Signal Word: Warning GHS Hazard Phrases: P305+351+338 - IF IN EYES: Rinse catiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P337+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If skin irritation persists, get medical advice/attention. GHS Storage and Disposal No phrases apply. DSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSD contains valuable information critical to the safe handling and proper use of the proc This MSDS should be retained and available for employees and other users of this	Company Name:					
Web site address:       www.renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Contract #914-39       Contract #914-39         Supplier Name and Address:       Option Number:         Company Name:       Wyatt Machine Tools       Phone Number:         388 Church Street, Penrose       (09)525-1000         Auckland,       Web site address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ()992-881         (8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         Z       Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Response Phrases:       P306-351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P32+313 - If skin irritation occurs, get medical advice/attention.         P32+313 - If skin irritation occurs, get medical advice/attention.         P33+313 - If skin irritation occurs, get medical advice/attention.         P37+313 - If skin irritation occurs, get medical advice/attention.         P37+313 - If skin irritation o	Web site address:       www.renegadeproductsusa.com         Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Contract #914-39       Contract #914-39         Supplier Name and Address:       Wyatt Machine Tools       Phone Number:         Company Name:       Wyatt Machine Tools       Phone Number:         388 Church Street, Penrose       (09) 9525-1000         Auckland,       Web site address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz       emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881         (8 am - 4 pm)       +48 (094)351-2394 112       Emergency Contact:       2. Hazards Identification         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       Emergency Contact:       2. Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B       Emergency Contact:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         GHS Storage and Disposal       No phrases apply.         Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the proot This MSDS should be retained and available for employees and other use						
Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Company Name:       Wyatt Machine Tools       Phone Number:         388 Church Street, Penrose       (99)525-1000         Auckland,       Web site address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881         (8 am - 4 pm)       +48 (094)351-2394       112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL       2. Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.       H320 - Causes eye irritation.         H320 - Causes eye irritation.       GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If eye irritation occurs, get medical advice/attention.       P332+313 - If eye irritation occurs, get medical advice/attention.         GHS Storage and Disposal       No phrases apply.       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handing and proper use of this produc This	Email address:       cs@renegadeproductsusa.com         Emergency Contact:       INFOTRAC       (800)535-5053         Contract #914-39       Supplier Name and Address:       Phone Number:         Company Name:       Wyatt Machine Tools       Phone Number:         388 Church Street, Penrose       (09)525-1000         Auckland,       Nuckland,         Web site address:       info@wyatt.co.nz         Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ( )992-881         (8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         LFGRPCLRWSR24, LFGRPCLRWSR1GAL         Baserious Eye Damage/Eye Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:         Warning         GHS Precautionary Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing, P332+313 - If skin irritation occurs, get medical advice/attention.         P332+313 - If skin irritation occurs, get medical advice/attention.         P337+313 - If skin irritation occurs, get medical advice/attention.         P332+313 - If skin irritation occurs, get medical advice/attention.         P332	Wab site address:					
Emergency Contact:       INFOTRAC Contract #914-39       (800)535-5053         Supplier Name and Address:       Phone Number: 388 Church Street, Penrose Auckland,       (09)525-1000         Web site address:       info@wyatt.co.nz       (09)525-1000         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ()992-881         (8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         LefGRPCLRWSR24, LFGRPCLRWSR1GAL         Contact:         2.       Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Nazard Phrases:         P305+351+338 - IF IN EVES: Rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and vailable for employees and other users of this	Emergency Contact:       INFOTRAC Contract #914-39       (800)535-5053         Supplier Name and Address:       Wyatt Machine Tools 388 Church Street, Penrose Auckland,       Phone Number: (09) 525-1000         Web site address:       www.wyatt.co.nz       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881 (8 am - 4 pm)         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2.       Hazards Identification         Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning GHS Hazard Phrases:         H316 - Causes mild skin irritation. H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+3511-338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the proo This MSDS should be retained and available for employees and other users of this						
Contract #914-39         Supplier Name and Address:         Company Name:       Wyatt Machine Tools         Base Church Street, Penrose       (09) 525-1000         Auckland,       (09) 525-1000         Web site address:       www.wyatt.co.nz         Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881         (8 am - 4 pm)       +48 (094)351-2394       112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL <b>2. Hazards Identification</b> Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Precautionary Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         H320 - Causes eye irritation.         H320 - Causes eye irritation.         H320 + 351+318 + its in irritation occurs, get medical advice/attention.         P335+331-1 if skin irritation occurs, get medical advice/attention.         P332+313 - if skin irritation persists, get medical advice/attention.         P337+313 - if eye irritation persists, get medical advice/attention.         P337+313 - if eye irritation persists, get medical advice/attention.         P337+313 - if sys apply.         <	Contract #914-39 Contract #914-39 Contract #914-39 Contract #914-39 Supplier Name and Address: Company Name: Wyatt Machine Tools Phone Number: 388 Church Street, Penrose (09)525-1000 Auckland, Web site address: www.wyatt.co.nz Email address: info@wyatt.co.nz Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881 (8 am - 4 pm) +48 (094)351-2394 112 Part Number: LFGRPCLRWSR24, LFGRPCLRWSR1GAL 2. Hazards Identification Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2B GHS Signal Word: Warning GHS Precautionary Phrases: H316 - Causes mild skin irritation. H320 - Causes eye irritation. GHS Precautionary Phrases: P264 - Wash hands thoroughly after handling. GHS Response Phrase: P264 - Wash hands thoroughly after handling. GHS Response Phrase: P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation necurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. GHS Storage and Disposal Phrases: OSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the proc			(800)535-5053			
Company Name:Wyatt Machine Tools 388 Church Street, Penrose Auckland,Phone Number: (09) 525-1000 Auckland,Web site address:www.wyatt.co.nz info@wyatt.co.nz(09) 525-1000 Auckland,Emergency Contact:24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)0800 ( ) 992-881 +48 (094)351-2394 112Part Number:LFGRPCLRWSR24, LFGRPCLRWSR1GALLFGRPCLRWSR24, LFGRPCLRWSR1GALSkin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2BGHS Signal Word:Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation.GHS Precautionary Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Company Name:Wyatt Machine Tools 388 Church Street, Penrose Auckland,Phone Number: (09)525-1000 Auckland,Web site address:info@wyatt.co.nz Email address:info@wyatt.co.nzEmail address:info@wyatt.co.nzEmergency Contact:24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)0800 ()992-881 +48 (094)351-2394 112Part Number:LFGRPCLRWSR24, LFGRPCLRWSR1GALLFGRPCLRWSR24, LFGRPCLRWSR1GALSkin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2BGHS Signal Word:Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation eye irritation. H320 - Causes eye irritation. H320 - Causes eye irritation. H320 - Causes eye irritation. H320 - Causes eye irritation eye irritation eye irritation. H327+313 - If eye irritation eye irritation	Emergency Contact.					
Company Name:Wyatt Machine Tools 388 Church Street, Penrose Auckland,Phone Number: (09) 525-1000 Auckland,Web site address:www.wyatt.co.nz info@wyatt.co.nz(09) 525-1000 Auckland,Emergency Contact:24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)0800 ( ) 992-881 +48 (094)351-2394 112Part Number:LFGRPCLRWSR24, LFGRPCLRWSR1GALLFGRPCLRWSR24, LFGRPCLRWSR1GALSkin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2BGHS Signal Word:Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation.GHS Precautionary Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Company Name:Wyatt Machine Tools 388 Church Street, Penrose Auckland,Phone Number: (09)525-1000 Auckland,Web site address:info@wyatt.co.nzEmail address:info@wyatt.co.nzEmergency Contact:24 hour NZ Emergency 0800WYATT1 (8 am - 4 pm)0800 ()992-881 +48 (094)351-2394 112Part Number:LFGRPCLRWSR24, LFGRPCLRWSR1GALLFGRPCLRWSR24, LFGRPCLRWSR1GALSkin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2BGHS Signal Word:Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation eye irritation. H320 - Causes eye irritation eye irritation. H327+313 - If eye irritation eye irritation eye irritation. H337+313 - If eye irritation persists,	Supplier Name and Address:					
Auckland,         Web site address:       www.wyatt.co.nz         Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881 (8 am - 4 pm)         +48 (094)351-2394       112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL <b>LFGRPCLRWSR24, LFGRPCLRWSR1GAL Skin Corrosion/Irritation, Category 3</b> Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation. H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       No phrases apply.         OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Auckland,         Web site address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881 (8 am - 4 pm)         Harander Apm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2.       Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         GHS Response Phrases:         P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P337+313 - If eye irritatin persists, get medical advice/attention. <td></td> <td>-</td> <td></td>		-				
Web site address:       www.wyatt.co.nz         Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ()992-881 (8 am - 4 pm)         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         Description       2.       Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Precautionary Phrases:       H316 - Causes mild skin irritation. H320 - Causes eye irritation.         GHS Precautionary Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Web site address:www.wyatt.co.nzEmail address:info@wyatt.co.nzEmergency Contact:24 hour NZ Emergency 0800WYATT10800 ( )992-881 +48 (094)351-2394 112Part Number:LFGRPCLRWSR24, LFGRPCLRWSR1GAL <b>2. Hazards Identification</b> Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2BGHS Signal Word:Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation.GHS Precautionary Phrases:P264 - Wash hands thoroughly after handling.GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If while this material is not classified as hazardous under OSHA regulations, this MSDE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this			(09)525-1000			
Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ( )992-881 (8 am - 4 pm)         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL <b>2. Hazards Identification</b> Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:         Warning         GHS Nignal Word:         Warning         GHS Precautionary Phrases:         P264 - Wash hands thoroughly after handling.         GHS Response Phrases:         P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+313 - If skin irritation occurs, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.	Email address:       info@wyatt.co.nz         Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ( )992-881 (8 am - 4 pm)         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2.       Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation. H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       No phrases apply.         OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSDE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this		,				
Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 () 992-881 +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL <b>2. Hazards Identification</b> Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Precautionary Phrases:       H316 - Causes mild skin irritation. H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       No phrases apply.         OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Emergency Contact:       24 hour NZ Emergency 0800WYATT1       0800 ( )992-881 (8 am - 4 pm)         Harring       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2.       Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P37+313 - If eye irritation persists, get medical advice/attention.         P37+313 - If eye irritation persists, get medical advice/attention.         P37+313 - If while this material is not classified as hazardous under OSHA regulations, this MSEC contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this		-				
(8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL <b>2. Hazards Identification</b> Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.         P337+313 - If eye irritation persists, get medical advice/attention.         P3737+313 - If eye irritation persists, get medical advice/attention.         P37+313 - If skin irritation occurs, get medical advice/attention.         P37+313 - If eye irritation persists, get medical advice/attention.         Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	(8 am - 4 pm)       +48 (094)351-2394 112         Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2. Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If sey irritation persists, get medical advice/attention.         GHS Storage and Disposal       No phrases apply.         Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this			0800 ( )992-881			
Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2. Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       No phrases apply.         OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Part Number:       LFGRPCLRWSR24, LFGRPCLRWSR1GAL         2.       Hazards Identification         Skin Corrosion/Irritation, Category 3       Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.       H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this	Emergency contact.	0,				
Z. Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal       No phrases apply.         OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	2. Hazards Identification         Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.         H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal       No phrases apply.         Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this	Part Number:		, , , , , , , , , , , , , , , , , , ,			
Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.       H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	Skin Corrosion/Irritation, Category 3         Serious Eye Damage/Eye Irritation, Category 2B         GHS Signal Word:       Warning         GHS Hazard Phrases:       H316 - Causes mild skin irritation.         H320 - Causes eye irritation.       H320 - Causes eye irritation.         GHS Precautionary Phrases:       P264 - Wash hands thoroughly after handling.         GHS Response Phrases:       P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing.         P332+313 - If skin irritation occurs, get medical advice/attention.       P337+313 - If eye irritation persists, get medical advice/attention.         GHS Storage and Disposal       No phrases apply.         Phrases:       While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the proof This MSDS should be retained and available for employees and other users of this						
GHS Hazard Phrases:H316 - Causes mild skin irritation. H320 - Causes eye irritation.GHS Precautionary Phrases:P264 - Wash hands thoroughly after handling.GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	GHS Hazard Phrases:H316 - Causes mild skin irritation. H320 - Causes eye irritation.GHS Precautionary Phrases:P264 - Wash hands thoroughly after handling.GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this		egory 3	n			
GHS Precautionary Phrases:H320 - Causes eye irritation.GHS Response Phrases:P264 - Wash hands thoroughly after handling.BY305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	GHS Precautionary Phrases:H320 - Causes eye irritation.GHS Response Phrases:P264 - Wash hands thoroughly after handling.BY305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irri	egory 3 tation, Category 2B	n			
GHS Precautionary Phrases:P264 - Wash hands thoroughly after handling.GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	GHS Precautionary Phrases:P264 - Wash hands thoroughly after handling.GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word:	egory 3 tation, Category 2B Warning	n			
GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	GHS Response Phrases:P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Rem contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSD contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word:	egory 3 tation, Category 2B <b>Warning</b> H316 - Causes mild skin irritation.	n			
contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the produc This MSDS should be retained and available for employees and other users of this	contact lenses, if present and easy to do. Continue rinsing. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word: GHS Hazard Phrases:	egory 3 tation, Category 2B Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation.				
P337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and DisposalNo phrases apply.Phrases:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	GHS Storage and DisposalP337+313 - If eye irritation persists, get medical advice/attention.GHS Storage and DisposalNo phrases apply.Phrases:While this material is not classified as hazardous under OSHA regulations, this MSDOSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDThis MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word: GHS Hazard Phrases: GHS Precautionary Phrases:	egory 3 tation, Category 2B Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation. P264 - Wash hands thoroughly after handling				
GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	GHS Storage and Disposal Phrases:No phrases apply.OSHA Regulatory Status:While this material is not classified as hazardous under OSHA regulations, this MSE contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word: GHS Hazard Phrases: GHS Precautionary Phrases:	egory 3 tation, Category 2B Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation. P264 - Wash hands thoroughly after handling P305+351+338 - IF IN EYES: Rinse cautious	ly with water for several minutes. Remove			
Phrases:       OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	Phrases:       OSHA Regulatory Status:       While this material is not classified as hazardous under OSHA regulations, this MSD         contains valuable information critical to the safe handling and proper use of the prod         This MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word: GHS Hazard Phrases: GHS Precautionary Phrases:	egory 3 tation, Category 2B Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation. P264 - Wash hands thoroughly after handling P305+351+338 - IF IN EYES: Rinse cautious contact lenses, if present and easy to do. Cor	ly with water for several minutes. Remove ntinue rinsing.			
contains valuable information critical to the safe handling and proper use of the product This MSDS should be retained and available for employees and other users of this	contains valuable information critical to the safe handling and proper use of the prod This MSDS should be retained and available for employees and other users of this	Serious Eye Damage/Eye Irrit GHS Signal Word: GHS Hazard Phrases: GHS Precautionary Phrases:	egory 3 tation, Category 2B Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation. P264 - Wash hands thoroughly after handling P305+351+338 - IF IN EYES: Rinse cautious contact lenses, if present and easy to do. Cor P332+313 - If skin irritation occurs, get medic	ly with water for several minutes. Remove ntinue rinsing. al advice/attention.			
product	product.	Serious Eye Damage/Eye Irrit GHS Signal Word: GHS Hazard Phrases: GHS Precautionary Phrases: GHS Response Phrases: GHS Storage and Disposal	egory 3 tation, Category 2B Warning H316 - Causes mild skin irritation. H320 - Causes eye irritation. P264 - Wash hands thoroughly after handling P305+351+338 - IF IN EYES: Rinse cautious contact lenses, if present and easy to do. Cor P332+313 - If skin irritation occurs, get medic P337+313 - If eye irritation persists, get medic	ly with water for several minutes. Remove ntinue rinsing. al advice/attention.			



	3	Composition/Info	ormation on Ingredients		
CAS #		oonents (Chemical Name)	Concentration		
64-19-7	Acetic acid		< 2.5 %		
111-76-2	Glycol ether EB		< 0.5 %		
		4 First /	Aid Measures		
Emorgoney	and First Aid		v this safety data sheet to the doctor in attendance. Move out o		
Procedures:		dangerous area.			
In Case of Ir		-	on into fresh air. If not breathing, give artificial respiration.		
		Consult a physician.			
In Case of S	kin Contact:	Take off contaminated clo	thing and shoes immediately. Wash off with soap and plenty o		
		water. Take victim immed	iately to hospital.		
In Case of E	ye Contact:	•••	nty of water for at least 15 minutes and consult a physician.		
		Continue rinsing eyes dur			
In Case of Ir	ngestion:	Do NOT induce vomiting. Rinse mouth with water.	Never give anything by mouth to an unconscious person. Consult a physician.		
-	ymptoms Of	•	n symptoms and effects are described in the labelling (see		
Exposure:		section 2.2) and/or in sec	tion 11		
	f any immediate	No data available.			
medical atte treatment ne	ention and specia	1			
	eeded.				
			nting Measures		
Flash Pt:		49.00 C (120.2 F) Meth			
Explosive Li	ive Limits: LEL: No data. UEL: No data.				
Autoignitior	n Pt:	316.00 C (600.8 F)			
		. ,			
	inguishing Media	a:Use water spray, dry cher	nical, carbon dioxide, or alcohol-resistant foam.		
	inguishing Media	a:Use water spray, dry cher Wear self contained breat	nical, carbon dioxide, or alcohol-resistant foam. thing apparatus for fire fighting if necessary.		
Fire Fighting	inguishing Media g Instructions:	a:Use water spray, dry cher Wear self contained breat Further information:			
Fire Fighting Flammable I	inguishing Media	a:Use water spray, dry cher Wear self contained breat			
Fire Fighting Flammable I Hazards:	inguishing Media g Instructions:	a:Use water spray, dry cher Wear self contained breat Further information:			
Fire Fighting Flammable I Hazards:	inguishing Media g Instructions: Properties and	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides.			
Fire Fighting Flammable   Hazards: Hazardous (	inguishing Media g Instructions: Properties and	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available.	hing apparatus for fire fighting if necessary.		
Fire Fighting Flammable I Hazards: Hazardous ( Products:	inguishing Media g Instructions: Properties and Combustion	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. 6. Accidental	thing apparatus for fire fighting if necessary. Release Measures		
Fire Fighting Flammable   Hazards: Hazardous ( Products: Protective P	inguishing Media g Instructions: Properties and Combustion	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. 6. Accidental Wear respiratory protection	thing apparatus for fire fighting if necessary. <b>Release Measures</b> on. Avoid breathing vapors, mist or gas. Ensure adequate		
Fire Fighting Flammable I Hazards: Hazardous ( Products: Protective P Protective E	inguishing Media g Instructions: Properties and Combustion Precautions,	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protection ventilation. Remove all so	thing apparatus for fire fighting if necessary. <b>Release Measures</b> on. Avoid breathing vapors, mist or gas. Ensure adequate		
Fire Fighting Flammable I Hazards: Hazardous ( Products: Protective P Protective E	inguishing Media g Instructions: Properties and Combustion	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protection ventilation. Remove all so	thing apparatus for fire fighting if necessary. <b>Release Measures</b> on. Avoid breathing vapors, mist or gas. Ensure adequate purces of ignition. Evacuate personnel to safe areas. Beware of porm explosive concentrations. Vapors can accumulate in low		
Fire Fighting Flammable I Hazards: Hazardous 0 Products: Protective P Protective E Emergency	inguishing Media g Instructions: Properties and Combustion Precautions,	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protection ventilation. Remove all serva areas. For personal protection	thing apparatus for fire fighting if necessary. <b>Release Measures</b> on. Avoid breathing vapors, mist or gas. Ensure adequate purces of ignition. Evacuate personnel to safe areas. Beware of porm explosive concentrations. Vapors can accumulate in low		
Fire Fighting Flammable I Hazards: Hazardous ( Products: Protective P Protective E Emergency Environmen	inguishing Media g Instructions: Properties and Combustion Precautions, Equipment and Procedures:	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protectiventilation. Remove all sevent vapors accumulating to fer areas. For personal protections of the prevent further leakage of the p	Thing apparatus for fire fighting if necessary. Release Measures on. Avoid breathing vapors, mist or gas. Ensure adequate burces of ignition. Evacuate personnel to safe areas. Beware of the personnel to safe areas. Beware of the personnel to safe areas. Beware of the personnel to safe areas. Beware of the personnel to safe		
Fire Fighting Flammable I Hazards: Hazardous ( Products: Protective P Protective E Emergency Environmen Steps To Be Material Is R	inguishing Media g Instructions: Properties and Combustion Precautions, Equipment and Procedures: atal Precautions:	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protectiventilation. Remove all se vapors accumulating to fe areas. For personal protection Prevent further leakage of Contain spillage, and the wet-brushing and place in	thing apparatus for fire fighting if necessary. <b>Release Measures</b> on. Avoid breathing vapors, mist or gas. Ensure adequate purces of ignition. Evacuate personnel to safe areas. Beware of form explosive concentrations. Vapors can accumulate in low ection see section 8. or spillage if safe to do so. Do not let product enter drains.		
Fire Fighting Flammable I Hazards: Hazardous ( Products: Protective P Protective E Emergency Environmen Steps To Be	inguishing Media g Instructions: Properties and Combustion Precautions, Equipment and Procedures: atal Precautions:	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protectiventilation. Remove all se vapors accumulating to fe areas. For personal protection Prevent further leakage of Contain spillage, and the	Release Measures on. Avoid breathing vapors, mist or gas. Ensure adequate burces of ignition. Evacuate personnel to safe areas. Beware of orm explosive concentrations. Vapors can accumulate in low ection see section 8. or spillage if safe to do so. Do not let product enter drains. n collect with an electrically protected vacuum cleaner or by		
Fire Fighting Flammable I Hazards: Hazardous ( Products: Protective P Protective E Emergency Environmen Steps To Be Material Is R	inguishing Media g Instructions: Properties and Combustion Precautions, Equipment and Procedures: atal Precautions:	a:Use water spray, dry cher Wear self contained breat Further information: Carbon oxides. No data available. <b>6. Accidental</b> Wear respiratory protectiventilation. Remove all se vapors accumulating to fe areas. For personal protection Prevent further leakage of Contain spillage, and the wet-brushing and place in	Release Measures on. Avoid breathing vapors, mist or gas. Ensure adequate burces of ignition. Evacuate personnel to safe areas. Beware of orm explosive concentrations. Vapors can accumulate in low ection see section 8. or spillage if safe to do so. Do not let product enter drains. n collect with an electrically protected vacuum cleaner or by		

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



Precautions To Be Taken in Handling:       Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.         Precautions To Be Taken in Storing:       Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids         Other Precautions:       Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. <b>CAS #</b> Partial Chemical Name       OSHA TWA       ACGIH TWA       Other Limits         64-19-7       Acetic acid       Other Limits         ACAS #       Partial Chemical Name       OSHA TWA       ACGIH TWA       Other Limits         64-19-7       Acetic acid       Other Limits       No data.         CAS #       Chemical Name       Jurisdiction       Recommended Exposure Limits       No data.         CAS #       Chemical Name       Jurisdiction       Recommended Exposure Limits       No data.         CAS #			<b>7</b> H	la <u>ndl</u>	ing and Sto	rage			
Precautions To Be Taken in Storing:       Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Elammable liquids         Other Precautions:       Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. <b>263 #</b> Partial Chemical Name       OSHA TWA       ACGH TWA       Other Limits         64-19-7       Acadic acid       PEL: 10 ppm       TV: 10 ppm       No data.         111-76-2       Glycol ether EB       PEL: 50 ppm       TV: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid       California, USA PELs       TW: 20 ppm       No data.         64-19-7       Acelic acid	Precautions <sup>-</sup> Handling:	To Be Taken in	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic						
8. Exposure Controls/Personal Protection         CAS # Partial Chemical Name       OSHA TWA       ACGIH TWA       Other Limits         64-19-7       Acetic acid       PEL: 10 ppm       TV: 20 ppm       No data.         STEL: 15 ppm       No data.         STEL: 50 ppm       TV: 20 ppm       No data.         CAS # Chamical Name       Jurisdiction       Recommended Exposure Limits       Notation         GAS # Chamical Name       Jurisdiction       Recommended Exposure Limits       Notations         GAIIFORM Colspan="2">Notations, USA PELs       TWA: 25 mg/m3 (10 ppm)         ITV: 20 ppm       Notations         OTH Colspan="2">Respirators in gain 3(20 ppm)         NOSH       TWA: 37 mg/m3 (20 ppm)         ITV: 20 ppm       STE: 10 ppm         TWA: 37 mg/m3 (20 ppm)         NOSH       STE: 10 ppm         TWA: 37 mg/m3 (20 ppm)         NOSH       STE: 10 ppm         TWA: 37 mg/m3 (20 ppm) <th col<="" th=""><th colspan="3">Precautions To Be Taken in Keep container to Storing: opened must be</th><th>careful</th><th>ly resealed and k</th><th>ept upright to prevent lea</th><th></th><th>s which are</th></th>	<th colspan="3">Precautions To Be Taken in Keep container to Storing: opened must be</th> <th>careful</th> <th>ly resealed and k</th> <th>ept upright to prevent lea</th> <th></th> <th>s which are</th>	Precautions To Be Taken in Keep container to Storing: opened must be			careful	ly resealed and k	ept upright to prevent lea		s which are
CAS #         Partial Chemical Name         OSHA TWA         ACGIH TWA         Other Limits           64-19-7         Acetic acid         PEL: 10 ppm         TLV: 10 ppm STEL: 15 ppm         No data.           111-76-2         Glycol ether EB         PEL: 50 ppm         TLV: 20 ppm         No data.           CAS #         Chemical Name         Jurisdiction         Recommended Exposure Limits         No data.           CAS #         Chemical Name         Jurisdiction         Recommended Exposure Limits         Notations           64-19-7         Acetic acid         California, USA PELs         TWA: 25 mg/m3 (10 ppm) STEL: 37 mg/m3 (15 ppm)         Notations           64-19-7         Acetic acid         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: California, USA PELs         Notations           111-76-2         Glycol ether EB         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: California, USA PELs         Notations           111-76-2         Glycol ether EB         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: California, USA PELs         Notations           111-76-2         Glycol ether EB         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: California, USA PELs         Notations           111-76-2         Glycol ether EB         California	Other Precau	tions:	Apart from the u	ses me	ntioned in section	1.2 no other specific use	es are st	ipulated.	
64-19-7         Acetic acid         PEL: 10 ppm         TLV: 10 ppm STEL: 15 ppm         No data.           111-76-2         Giycol ether EB         PEL: 80 ppm         TLV: 20 ppm         No data.           CAS #         Chemical Name         Jurisdiction         Recommended Exposure Limits         No data.           64-19-7         Acetic acid         California, USA PELs         TWA: 25 mg/m3 (10 ppm) STEL: 37 mg/m3 (15 ppm)         No data.           64-19-7         Acetic acid         California, USA PELs         TWA: 25 mg/m3 (20 ppm)         No data.           111-76-2         Glycol ether EB         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: Stell		8	. Exposure	Cont	rols/Person	al Protection			
STEL: 15 ppm         STEL: 15 ppm           111-76-2         Glycol ether EB         PEL: 50 ppm         TLV: 20 ppm         No data.           CAS #         Chemical Name         Jurisdiction         Recommended Exposure Limits         Notations           64-19-7         Acetic acid         California, USA PELs         TWA: 25 mg/m3 (10 ppm) STEL: 16 ppm         Notations           111-76-2         Glycol ether EB         California, USA PELs         TWA: 10 ppm STEL: 16 ppm         Image: Stell stel	CAS #	Partial Chemical	Name	OSHA TWA		ACGIH TWA	c	Other Limits	
CAS #         Chemical Name         Jurisdiction         Recommended Exposure Limits         Notations           64-19-7         Acetic acid         California, USA PELs         TWA: 25 mg/m3 (10 ppm) STEL: 37 mg/m3 (15 ppm)         Image: California, USA PELs         TWA: 25 mg/m3 (10 ppm) STEL: 37 mg/m3 (15 ppm)           111-76-2         Glycol ether EB         California, USA PELs         TWA: 10 ppm         Image: California, USA PELs         TWA: 97 mg/m3 (20 ppm)           Personal Protective Equipment Symbols:         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: California, USA PELs           Respiratory Equipment (Specify Type):         California, USA PELs         TWA: 97 mg/m3 (20 ppm)         Image: California, USA PELs           Respiratory Equipment (Specify Type):         Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.           If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).           Protection:         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).           Protective Gloves:         Handle with gloves. Gloves must be inspected prior to use. Use proper glove remo	64-19-7	Acetic acid		PEL	: 10 ppm		١	lo data.	
64-19-7       Acetic acid       California, USA PELs       TWA: 25 mg/m3 (10 ppm) STEL: 37 mg/m3 (15 ppm)         111-76-2       Glycol ether EB       California, USA PELs       TWA: 10 ppm STEL: 15 ppm         111-76-2       Glycol ether EB       California, USA PELs       TWA: 97 mg/m3 (20 ppm)         Personal Protective Equipment Symbols:       Image: California, USA PELs       TWA: 97 mg/m3 (20 ppm)         Respiratory Equipment (Specify Type):       Image: California, USA PELs       TWA: 97 mg/m3 (20 ppm)         Respiratory Equipment (Specify Type):       Image: California, USA PELs       TWA: 97 mg/m3 (20 ppm)         Respiratory Equipment (Specify Type):       Image: California, USA PELs       TWA: 97 mg/m3 (20 ppm)         Respiratory Equipment (Specify Type):       Respirator: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.         If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).         Protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).         Protective Gloves:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal techniq	111-76-2	Glycol ether EB		PEL	50 ppm	TLV: 20 ppm	١	No data.	
STEL: 37 mg/m3 (15 ppm) CEIL: 40 ppm         111-76-2       Glycol ether EB         California, USA PELS       TWA: 97 mg/m3 (20 ppm) NIOSH         TWA: 10 ppm         STEL: 15 ppm         Personal Protective Equipment Symbols:         Respiratory Equipment (Specify Type):         Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.         If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).         Protective Gloves:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this produc Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: Nature latex/chloroprene. Minimum layer thickness: 0.3 mm Break through time: ? min. Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through time: 60 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familil	CAS #	Chemical Name	Jurisdiction		Recommended E	Exposure Limits		Notations	
STEL: 15 ppm           111-76-2         Glycol ether EB         California, USA PELs         TWA: 97 mg/m3 (20 ppm)           NIOSH         TWA: 97 mg/m3 (20 ppm)         Image: 100 mg/m3 (20 ppm)           Personal Protective Equipment Symbols:         Fill State	64-19-7 Ace	tic acid	California, USA	California, USA PELs		STEL: 37 mg/m3 (15 ppm)			
NIOSH         TWA: 5 ppm           Personal Protective Equipment Symbols:         Image: Comparison of the symbols of t			NIOSH	NIOSH					
Personal Protective Equipment Symbols:         Respiratory Equipment (Specify Type):       Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.         If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).         Eye Protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).         Protective Gloves:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this produc Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: ? min. Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through time: 60 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familia with the specific situation of anticipated use by our customers. It should not be construe as offering an approval for any specific use scenario.         Other Protective Clothing:       Complete suit protecting against chemicals. Flame retardant antistatic protective clothing.	111-76-2 Gly	/col ether EB	California, USA PELs		TWA: 97 mg/m3 (20 ppm)				
Equipment Symbols: Respiratory Equipment (Specify Type):Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).Eye Protection:Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).Protective Gloves:Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this produce Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: ? min. Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through time: 60 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familia with the specific situation of anticipated use by our customers. It should not be construe as offering an approval for any specific use scenario.Other Protective Clothing:Complete suit protecting against chemicals. Flame retardant antistatic protective clothing.Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately<			NIOSH	NIOSH		TWA: 5 ppm			
Eye Protection:Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).Protective Gloves:Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this produc Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: ? min. Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through time: 60 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familia with the specific situation of anticipated use by our customers. It should not be construe as offering an approval for any specific use scenario.Other Protective Clothing:Complete suit protecting against chemicals. Flame retardant antistatic protective clothing.Engineering ControlsAvoid contact with skin, eyes and clothing. Wash hands before breaks and immediately		-).	respirator cartric If the respirator Use respirators	lges as is the so and cor	a backup to engir ble means of prote nponents tested a	neering controls. ection, use a full-face sup and approved under appr	oplied ai	r respirator.	
<ul> <li>technique (without touching glove's outer surface) to avoid skin contact with this product Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact.</li> <li>Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: ? min. Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through time: 60 min.</li> <li>If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familia with the specific situation of anticipated use by our customers. It should not be construe as offering an approval for any specific use scenario.</li> <li>Other Protective Clothing:</li> <li>Complete suit protecting against chemicals. Flame retardant antistatic protective clothing.</li> <li>Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately</li> </ul>	Eye Protection:         Tightly fitting safe           protection tested         protection tested			ety gog and ap	y goggles. Faceshield (8-inch minimum). Use equipment for eye nd approved under appropriate government standards such as				
from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familia with the specific situation of anticipated use by our customers. It should not be construe as offering an approval for any specific use scenario.Other Protective Clothing:Complete suit protecting against chemicals. Flame retardant antistatic protective clothing.Engineering ControlsAvoid contact with skin, eyes and clothing. Wash hands before breaks and immediately	Protective GI	technique (witho Dispose of conta laboratory practi Material: butyl-ru Material: Nature time: 60 min.	technique (without touching glove's outer surface) to avoid skin contact with this product Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: ? min. Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through time: 60 min.						
Engineering Controls Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately	Other Protect	tive Clothing:	from EN 374, co advisory only an with the specific as offering an ap Complete suit p	ntact th d must situatio oproval	e supplier of the ( be evaluated by a on of anticipated u for any specific us	CE approved gloves. This an industrial hygienist and se by our customers. It s se scenario.	s recom d safety hould no	mendation is officer familia ot be construe	
	Engineering		clothing.						
A REALED A		Controla	Avoid contact	th alde	ovon and alathing	Noob bondo bafara ba		dimmodiatel	



(Ventilation etc.):	after handling the product.
Environmental Exposure Controls:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
	9. Physical and Chemical Properties
Physical States: Appearance and Odor:	[]Gas [X]Liquid []Solid Liquid. Vinegar-like odor. Pine-Minty Scent.
pH:	4
Melting Point:	-73.00 C (-99.4 F)
Boiling Point:	138.00 C (280.4 F) - 140.00 C (284.0 F)
Flash Pt:	49.00 C (120.2 F) Method Used: Closed Cup
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	1.08
Density:	8.683 LB/GA at 77.0 F (25.0 C)
Solubility in Water:	100%
Octanol/Water Partition Coefficient:	No data.
Percent Volatile:	1.0 % by weight.
Autoignition Pt:	316.00 C (600.8 F)
Decomposition Temperature:	No data.
Viscosity:	No data.
	10. Stability and Reactivity
Reactivity:	No data available.
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	Heat, flames and sparks.
Incompatibility - Materials To Avoid:	acids, Alcohols, Bases, Oxidizing agents, Reducing agents, Powdered metals.
Hazardous Decomposition or Byproducts:	No data available. In the event of fire: see section 5.
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid - Hazardous Reactions:	No data available.



Toxicological Information: Irritation or Corrosion: Sensitization: Chronic Toxicological Effects: Carcinogenicity/Other Information:	Acute toxicity. Germ cell mutagenicity: No data available. Reproductive toxicity. Aspiration hazard: Skin corrosion/irritation. Skin. in vitro assay Result: Causes burns. Serious eye damage/eye irritation: Eyes. Rabbit. No data available. Specific target organ toxicity - single exposure: No data available. Specific target organ toxicity -repeated exposure: no data available. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.				
Sensitization: Chronic Toxicological Effects: Carcinogenicity/Other	<ul> <li>Reproductive toxicity. Aspiration hazard:</li> <li>Skin corrosion/irritation. Skin. in vitro assay Result: Causes burns. Serious eye damage/eye irritation: Eyes. Rabbit.</li> <li>No data available.</li> <li>Specific target organ toxicity - single exposure: No data available.</li> <li>Specific target organ toxicity -repeated exposure: no data available.</li> <li>IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.</li> <li>NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.</li> <li>OSHA: No component of this product present at levels greater than or equal to 0.1% is</li> </ul>				
Sensitization: Chronic Toxicological Effects: Carcinogenicity/Other	<ul> <li>damage/eye irritation: Eyes. Rabbit.</li> <li>No data available.</li> <li>Specific target organ toxicity - single exposure: No data available.</li> <li>Specific target organ toxicity -repeated exposure: no data available.</li> <li>IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.</li> <li>NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.</li> <li>OSHA: No component of this product present at levels greater than or equal to 0.1% is</li> </ul>				
Chronic Toxicological Effects: Carcinogenicity/Other	Specific target organ toxicity - single exposure: No data available. Specific target organ toxicity -repeated exposure: no data available. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is				
Effects: Carcinogenicity/Other	Specific target organ toxicity -repeated exposure: no data available. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is				
	identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is				
Consinense isitu	NTD2 No IADC Managrapha2 No OSHA Dagulatad2 No				
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No				
	12. Ecological Information				
	No data available.				
Results of PBT and vPvB assessment:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.				
Persistence and Degradability:	Biodegradability: Zahn-Wellens Test. Exposure Time: 5 Result: Readily biodegradable.				
Bioaccumulative Potential:	No bioaccumulation is to be expected (log Pow <= 4).				
Mobility in Soil:	No data available.				
Other adverse effects:	No data available.				
	13. Disposal Considerations				
Waste Disposal Method:	Dispose of contents/container to The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.				
	14. Transport Information				



#### LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: DOT Hazard Class:

**UN/NA Number:** 

15 Regulatory Information							
15. Regulatory Information							
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists							
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
64-19-7	Acetic acid		No	Yes 5000 LB	No		
111-76-2	Glycol ether EB		No	No	Yes-Cat. N230		
		'Hazard Categories' defined					
	Explosive	erosols, liquid, or solid)	[] Yes [X] No Acute		exposure)		
	Dxidizer (liquid, solid		[X] Yes [] No       Skin Corrosion or Irritation         [X] Yes [] No       Serious eye damage or eye irritation				
[]Yes [X]No S		or guo)		atory or Skin Sensitiz			
	Pyrophoric (liquid or s						
[]Yes [X]No F			[] Yes [X] No Carcinogenicity				
[]Yes [X] No S	Self-heating		[] Yes [X] No Repro	ductive toxicity			
[]Yes [X] No (	Organic peroxide		[] Yes [X] No Specif	ic target organ toxicity	y (single or repeated exposure)		
[]Yes [X] No (	Corrosive to metal			tion Hazard			
	Gas under pressure (			Asphyxiant			
		emits flammable gas	[] Yes [X] No (Health	n) Hazard Not Otherw	vise Classified (HNOC)		
[]Yes [X] No (							
	1	t Otherwise Classified (HNOC)					
CAS #		nponents (Chemical Name)	Other US EPA or S				
64-19-7	Acetic acid		CAA HAP,ODC: N				
			Inventory; CA PR				
111-76-2	Glycol ether EB		CAA HAP,ODC: N				
				OP.65: No; CA TA	C, Title 8: TAC: Cat. IIa,		
			Title 8				
Regulatory In	formation:	the EPA Hazardous Substar (NZ) HSNO Classifications:.	This substance is classified hazadous according to Substances (Classification) Notice 2017 ations:				
		16. Other I	nformation				
Revision Date	):	05/01/2019					
Hazard Ratin	g System: HMIS:	HEALTH1FLAMMABILITY0PHYSICAL0PPEB					
Additional Inf This Product:		<b>t</b> No data available.					
Company Policy or       The information contained herein is based on data considered to be accurate. Hower         Disclaimer:       The information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product ar beyond our control and may be beyond our knowledge. For this and other reasons, do not assume responsibility and expressly disclaim liability for loss, damage or exp arising out of or in any way connected with handling, storage, use or disposal of this product.					nplied, regarding its al of the product are and other reasons, we oss, damage or expense		
Licensed to Mave	rick Abrasives: MIR	S MSDS, (c) A V Systems, Inc.			GHS format		