

1. Product and Company Identification

Product Code: LFGRMRVGC16

Product Name: Marine & RV Glass Cleaner

Trade Name:  RENEGADE PRODUCTS

Manufacturer Information:

Company Name: Maverick Abrasives
4340 E. Miraloma Ave
Anaheim, CA 92807

Web site address: www.renegadeproductsusa.com

Email address: cs@renegadeproductsusa.com

Emergency Contact: INFOTRAC (800)535-5053
Contract #914-39

Supplier Name and Address:

Company Name: Wyatt Machine Tools **Phone Number:**
388 Church Street, Penrose (09)525-1000
Auckland,

Web site address: www.wyatt.co.nz

Email address: info@wyatt.co.nz

Emergency Contact: 24 hour NZ Emergency 0800WYATT1 0800 ()992-881
(8 am - 4 pm) +48 (094)351-2394 112

2. Hazards Identification

GHS Signal Word: **None**

GHS Hazard Phrases: No phrases apply.

GHS Precautionary Phrases: No phrases apply.

GHS Response Phrases: No phrases apply.

GHS Storage and Disposal Phrases: No phrases apply.

OSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

Potential Health Effects (Acute and Chronic): Hazards not otherwise classified (HNOC) or not covered by GHS.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
67-63-0	Isopropyl alcohol	< 0.5 %	
111-76-2	Glycol ether EB	< 0.5 %	

4. First Aid Measures

Emergency and First Aid Procedures:	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
In Case of Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In Case of Skin Contact:	Wash off with soap and plenty of water. Consult a physician.
In Case of Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Signs and Symptoms Of Exposure:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed:	No data available.

5. Fire Fighting Measures

Flash Pt:	> 12.00 C (53.6 F)	Method Used: Estimate
Explosive Limits:	LEL: No data.	UEL: No data.
Autoignition Pt:	230.00 C (446.0 F)	
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.	
Fire Fighting Instructions:	Wear self contained breathing apparatus for fire fighting if necessary. Further information:	
Flammable Properties and Hazards:	Carbon oxides.	
Hazardous Combustion Products:	No data available.	

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Steps To Be Taken In Case Material Is Released Or Spilled:	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

7. Handling and Storage

Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.
Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Hygroscopic. Storage class 510): Combustible liquids Non Combustible.
Other Precautions:	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
111-76-2	Glycol ether EB	PEL: 50 ppm	TLV: 20 ppm	No data.

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
67-63-0	Isopropyl alcohol	California, USA PELs	TWA: 980 mg/m3 (400 ppm) STEL: 1225 mg/m3 (500 ppm)	
		NIOSH	TWA: 980 mg/m3 (400 ppm) STEL: 1225 mg/m3 (500 ppm)	
111-76-2	Glycol ether EB	California, USA PELs	TWA: 97 mg/m3 (20 ppm)	
		NIOSH	TWA: 5 ppm	

Personal Protective Equipment Symbols:



Respiratory Equipment (Specify Type):

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection:

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact.

Material: Nitrile rubber, Minimum layer thickness: 0.4 mm, Break through time: 480 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Other Protective Clothing:

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Complete suit protecting against chemicals.

Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Work/Hygienic/Maintenance Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Environmental Exposure Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

Physical States:	[] Gas	[X] Liquid	[] Solid
Appearance and Odor:	Liquid.		
pH:	7		
Melting Point:	-89.50 C (-129.1 F) - 129.10 C (264.4 F)		
Boiling Point:	82.00 C (179.6 F) - 172.50 C (342.5 F)		
Flash Pt:	> 12.00 C (53.6 F) Method Used: Estimate		
Evaporation Rate:	No data.		
Flammability (solid, gas):	No data available.		
Explosive Limits:	LEL: No data.		UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.		
Vapor Density (vs. Air = 1):	No data.		
Specific Gravity (Water = 1):	No data.		
Density:	0.814 G/CM3		
Solubility in Water:	100%		
Octanol/Water Partition Coefficient:	No data.		
Percent Volatile:	< 0.5 % by weight.		
Autoignition Pt:	230.00 C (446.0 F)		
Decomposition Temperature:	No data.		
Viscosity:	No data.		

10. Stability and Reactivity

Reactivity:	No data available.
Stability:	Unstable [<input type="checkbox"/>] Stable [<input checked="" type="checkbox"/>]
Conditions To Avoid - Instability:	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatibility - Materials To Avoid:	Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids. Strong oxidizing agents.
Hazardous Decomposition or Byproducts:	Other decomposition products: No data available. In the event of fire: see section 5.
Possibility of Hazardous Reactions:	Will occur [<input type="checkbox"/>] Will not occur [<input checked="" type="checkbox"/>]
Conditions To Avoid - Hazardous Reactions:	Vapors may form explosive mixture with air. No data available.

11. Toxicological Information

Toxicological Information:	Germ cell mutagenicity: No data available. Reproductive toxicity. Aspiration hazard: Acute toxicity.
Irritation or Corrosion:	Hamster ovary. Result: negative. (OECD Test Guideline 474) Mouse. male. Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. Skin corrosion/irritation. Provide adequate ventilation. Result: Tumorigenic: Tumors at site or application. Serious eye damage/eye irritation: Eyes - rabbit - No skin irritation -4 h. Eyes: Rabbit.
Sensitization:	Maximisation Test. Species: Guinea pig. Result: Tumorigenic: Tumors at site or application. Does not cause skin sensitisation.
Chronic Toxicological Effects:	Specific target organ toxicity - single exposure: Inhalation. Oral. May cause drowsiness or dizziness. Specific target organ toxicity - repeated exposure: Specific target organ toxicity -single exposure (Globally Harmonized System) No data available.
Carcinogenicity/Other Information:	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 -Group 3: Not classifiable as to its carcinogenicity to humans. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. IARC: Group 3: Not classifiable as to its carcinogenicity to humans .

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.
111-76-2	Glycol ether EB	n.a.	3	A3	n.a.

12. Ecological Information

General Ecological Information:	(OECD Test Guideline 201))
Results of PBT and vPvB assessment:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Persistence and Degradability:	Biodegradability: aerobic -Exposure time 28. Result: 90.4 % Readily biodegradable.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other adverse effects:	No data available.

13. Disposal Considerations

Waste Disposal Method:	The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe
-------------------------------	---

way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:

DOT Hazard Class:

UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
67-63-0	Isopropyl alcohol	No	No	Yes
111-76-2	Glycol ether EB	No	No	Yes-Cat. N230

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Explosive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Acute toxicity (any route of exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Flammable (gases, aerosols, liquid, or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Oxidizer (liquid, solid or gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Organic peroxide	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Combustible Dust	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Physical) Hazard Not Otherwise Classified (HNOC)	

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, Title 8
111-76-2	Glycol ether EB	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIa, Title 8

Regulatory Information: (NZ) Statement:..... This substance is not classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017.



SAFETY DATA SHEET

Marine & RV Glass Cleaner

Page: 7 of 7

Printed: 01/28/2021

Revision: 10/13/2020

16. Other Information

Revision Date: 10/13/2020

Hazard Rating System:

HEALTH		0
FLAMMABILITY		0
PHYSICAL		0
PPE		A

HMIS:

Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer: